

PRODUCT-DETAILS

# 20H

## H-STRNGTH SPLITBLT CONN 2/0STR-2SLD



### General Information

Extended Product Type	20H
Product ID	7TAH006100R0005
EAN	5414363074168
Catalog Description	H-STRNGTH SPLITBLT CONN 2/0STR-2SLD
Long Description	Type H - High Strength Split-Bolt Connector, Conductor Range for Equal Main and Tap 2/0 Str-2 Sol, Conductor Range for Min Tap with One Max Main 14 Sol

### Ordering

EAN	5414363074168
-----	---------------

### Dimensions

Product Net Weight	.245 lb 111.111 g
--------------------	----------------------

### Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	5.3 in 135 mm
Package Level 1 Height	3.5 in 89 mm

Package Level 1 Depth / Length	4.8 in 122 mm
Package Level 2 Units	150 piece
Package Level 2 Width	11 in 279 mm
Package Level 2 Height	5.9 in 150 mm
Package Level 2 Depth / Length	11.6 in 295 mm

## Additional Information

Application	Splicing, tapping or terminating conductors in power and grounding electrical connection.
Brand / Label	Blackburn
Color	Metallic
Material	Bronze Alloy
Number of Batteries	0
Product Name	SPLIT BOLT COUPLINGS
Product Type	Split-Bolt
Special Functions	Bolt and nut of high-strength corrosion-resistant bronze alloy. Copper pressure bar. Bolt and nut of hex design.
Standards	UL E9809
UPC	783786200153

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	20H
Instructions and Manuals	20H

## Classifications

ETIM 6	EC000491 - Earth terminal clamp
ETIM 7	EC000491 - Earth terminal clamp
UNSPSC	39121408
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4541 >> Mechanical connectors

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

