

PRODUCT-DETAILS

2H

H-STRNGTH SPLITBLT CONN 2-6SLD



General Information

Extended Product Type	2H
Product ID	7TAH006100R0006
EAN	5414363140504
Catalog Description	H-STRNGTH SPLITBLT CONN 2-6SLD
Long Description	Type H - High Strength Split-Bolt Connector, Conductor Range for Equal Main and Tap 2 Sol-6 Sol, Conductor Range for Min Tap with One Max Main 14 Sol

Ordering

EAN	5414363140504
-----	---------------

Dimensions

Product Net Weight	.09 lb 40.816 g
--------------------	--------------------

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	3.3 in 84 mm

Package Level 1 Depth / Length	6.5 in 165 mm
Package Level 2 Units	400 piece
Package Level 2 Width	8.2 in 208 mm
Package Level 2 Height	7.7 in 196 mm
Package Level 2 Depth / Length	11 in 279 mm

Additional Information

Application	Splicing, tapping or terminating conductors in power and grounding electrical connection.
Brand / Label	Blackburn
Color	Metallic
Material	Bronze Alloy
Number of Batteries	0
Product Name	SPLIT BOLT COUPLINGS
Product Type	Split-Bolt
Special Functions	Bolt and nut of high-strength corrosion-resistant bronze alloy. Copper pressure bar. Bolt and nut of hex design.
Standards	UL E9809
UPC	783786200108

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2H
Instructions and Manuals	2H

Classifications

ETIM 6	EC000491 - Earth terminal clamp
ETIM 7	EC000491 - Earth terminal clamp
UNSPSC	39121408
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4541 >> Mechanical connectors

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

