

PRODUCT-DETAILS

30H

SPLIT BOLT MAIN:4/0STR-2SOL



General Information

Extended Product Type	30H
Product ID	7TAH006100R0009
EAN	5414363074175
Catalog Description	SPLIT BOLT MAIN:4/0STR-2SOL
Long Description	Type H - High Strength Split-Bolt Connector, Conductor Range for Equal Main and Tap 4/0 Str-2 Sol, Conductor Range for Min Tap with One Max Main 6 Sol

Ordering

EAN	5414363074175
-----	---------------

Dimensions

Product Net Weight	.35 lb 158.73 g
--------------------	--------------------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	5.375 in 137 mm
Package Level 1 Height	4 in 102 mm

Package Level 1 Depth / Length	7.25 in 184 mm
Package Level 2 Units	100 piece
Package Level 2 Width	8.4 in 213 mm
Package Level 2 Height	7.7 in 196 mm
Package Level 2 Depth / Length	10.9 in 277 mm

Additional Information

Application	Splicing, tapping or terminating conductors in power and grounding electrical connection.
Brand / Label	Blackburn
Color	Metallic
Material	Bronze Alloy
Number of Batteries	0
Product Name	SPLIT BOLT COUPLINGS
Product Type	Split-Bolt
Special Functions	Bolt and nut of high-strength corrosion-resistant bronze alloy. Copper pressure bar. Bolt and nut of hex design.
Standards	UL E9809
UPC	783786200160

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	30H
Instructions and Manuals	30H

Classifications

ETIM 6	EC000491 - Earth terminal clamp
ETIM 7	EC000491 - Earth terminal clamp
UNSPSC	39121408
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4541 >> Mechanical connectors

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

