

PRODUCT-DETAILS

# 4H

## H-STRNGTH SPLITBLT CONN 4-8SLD



### General Information

Extended Product Type	4H
Product ID	7TAH006100R0014
EAN	5414363074182
Catalog Description	H-STRNGTH SPLITBLT CONN 4-8SLD
Long Description	Type H - High Strength Split-Bolt Connector, Conductor Range for Equal Main and Tap 4 Sol-8 Sol, Conductor Range for Min Tap with One Max Main 14 Sol

### Ordering

EAN	5414363074182
-----	---------------

### Dimensions

Product Net Weight	.071 lb 32.2 g
--------------------	-------------------

### Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5.25 in 133 mm
Package Level 1 Height	3.5 in 89 mm

Package Level 1 Depth / Length	4.75 in 121 mm
Package Level 2 Units	600 piece
Package Level 2 Width	11.3 in 287 mm
Package Level 2 Height	5.9 in 150 mm
Package Level 2 Depth / Length	11.5 in 292 mm

---

### Additional Information

Application	Splicing, tapping or terminating conductors in power and grounding electrical connection.
Brand / Label	Blackburn
Color	Metallic
Material	Bronze Alloy
Number of Batteries	0
Product Name	SPLIT BOLT COUPLINGS
Product Type	Split-Bolt
Special Functions	Bolt and nut of high-strength corrosion-resistant bronze alloy. Copper pressure bar. Bolt and nut of hex design.
Standards	UL E9809
UPC	783786200252

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	4H
Instructions and Manuals	4H

---

### Classifications

ETIM 6	EC000491 - Earth terminal clamp
ETIM 7	EC000491 - Earth terminal clamp
UNSPSC	39121408
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4541 >> Mechanical connectors

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

