

PRODUCT-DETAILS

54506

2 WAY SPLICE CONNECTOR No4



General Information

Extended Product Type	54506
Product ID	7TAH007500R0006
EAN	5414363110583
Catalog Description	2 WAY SPLICE CONNECTOR No4
Long Description	Copper Two-Way Splice Connector, Standard Barrel, Max 35kV, Wire Size 4 AWG, Die Code 29, Die Color Code Gray

Ordering

EAN	5414363110583
-----	---------------

Dimensions

Product Net Weight	.02 lb 9.07 g
--------------------	------------------

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	2.8 in 71 mm
Package Level 1 Height	2.3 in 58 mm

Package Level 1 Depth / Length	3.3 in 84 mm
Package Level 2 Units	500 piece
Package Level 2 Width	6 in 152 mm
Package Level 2 Height	3.4 in 86 mm
Package Level 2 Depth / Length	12.2 in 310 mm

Additional Information

Brand / Label	Color Keyed / Blackburn
Color	Gray
Insulation Material	None
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Splice
Special Functions	Two-way connectors provide high pullout values, are easy to insulate and provide a low-resistance connection of high quality and low installed cost.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210545066
Voltage Rating	35 kV

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	54506
Instructions and Manuals	54506

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

