

PRODUCT-DETAILS

54514

2 WAY SPLICE CONNECTOR 300 KCMIL



General Information

Extended Product Type	54514
Product ID	7TAH007500R0015
EAN	5414363110637
Catalog Description	2 WAY SPLICE CONNECTOR 300 KCMIL
Long Description	Copper Two-Way Splice Connector, Standard Barrel, Max 35kV, Wire Size 300 kcmil, Tin Plated, Die Code 66, Die Color Code White

Ordering

EAN	5414363110637
-----	---------------

Dimensions

Product Net Weight	.14 lb 63.492 g
--------------------	--------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	3 in 76 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	3.5 in 89 mm
Package Level 2 Units	100 piece
Package Level 2 Width	8 in 203 mm
Package Level 2 Height	4 in 102 mm
Package Level 2 Depth / Length	16.5 in 419 mm

Additional Information

Brand / Label	Color Keyed / Blackburn
Color	White
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Splice
Special Functions	Two-way connectors provide high pullout values, are easy to insulate and provide a low-resistance connection of high quality and low installed cost.
Standards	UL E9809
Surface Finishing	Tin-Plated
UPC	786210545141
Voltage Rating	600 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	54514
Instructions and Manuals	54514

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

