

PRODUCT-DETAILS

**54515**

**COMPRESSION CONNECTOR 2 WAY**



**General Information**

Extended Product Type	54515
Product ID	7TAH007500R0017
EAN	5414363110644
Catalog Description	COMPRESSION CONNECTOR 2 WAY
Long Description	Copper Two-Way Splice Connector, Standard Barrel, Max 35kV, Wire Size 350 kcmil, Tin Plated, Die Code 71, Die Color Code Red

**Ordering**

EAN	5414363110644
-----	---------------

**Dimensions**

Product Net Weight	.165 lb 74.83 g
--------------------	--------------------

**Container Information**

Package Level 1 Units	10 piece
Package Level 1 Width	3 in 76 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	3.5 in 89 mm
Package Level 2 Units	100 piece
Package Level 2 Width	8 in 203 mm
Package Level 2 Height	4 in 102 mm
Package Level 2 Depth / Length	16.4 in 417 mm

---

### Additional Information

Brand / Label	Color Keyed / Blackburn
Color	Red
Insulation Material	None
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Splice
Special Functions	Two-way connectors provide high pullout values, are easy to insulate and provide a low-resistance connection of high quality and low installed cost.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210545158
Voltage Rating	600 V

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	54515
Instructions and Manuals	54515

---

### Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

