

## PRODUCT-DETAILS

# 54804

## 2WAY CU SPLICE CONN LNGBRL No8 RED



### General Information

|                       |                                                                                                                                                     |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 54804                                                                                                                                               |
| Product ID            | 7TAH007510R0000                                                                                                                                     |
| EAN                   | 5414363110712                                                                                                                                       |
| Catalog Description   | 2WAY CU SPLICE CONN LNGBRL No8 RED                                                                                                                  |
| Long Description      | Copper Two-Way Splice, Long Barrel, Max 35kV, Wire Size #8 AWG, Length 1.75 Inches, Diameter 0.27 Inch, Tin Plated, Die Code 21, Die Color Code Red |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5414363110712 |
|-----|---------------|

### Dimensions

|                    |        |
|--------------------|--------|
| Product Net Weight | .02 lb |
|                    | 9.07 g |

### Container Information

|                        |          |
|------------------------|----------|
| Package Level 1 Units  | 50 piece |
| Package Level 1 Width  | 2.8 in   |
|                        | 71 mm    |
| Package Level 1 Height | 2.3 in   |
|                        | 58 mm    |

|                                |                   |
|--------------------------------|-------------------|
| Package Level 1 Depth / Length | 3.3 in<br>84 mm   |
| Package Level 2 Units          | 500 piece         |
| Package Level 2 Width          | 6.4 in<br>163 mm  |
| Package Level 2 Height         | 4 in<br>102 mm    |
| Package Level 2 Depth / Length | 12.5 in<br>318 mm |

## Additional Information

|                     |                                                                                                                                                      |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Brand / Label       | Color Keyed / Blackburn                                                                                                                              |
| Color               | Red                                                                                                                                                  |
| Insulation Material | None                                                                                                                                                 |
| Material            | Copper                                                                                                                                               |
| Number of Batteries | 0                                                                                                                                                    |
| Product Name        | ELECTRICAL TERMINAL                                                                                                                                  |
| Product Type        | Splice Connector                                                                                                                                     |
| Special Functions   | Two-way connectors provide high pullout values, are easy to insulate and provide a low-resistance connection of high quality and low installed cost. |
| Standards           | UL E9809                                                                                                                                             |
| Surface Finishing   | Tin-Plated                                                                                                                                           |
| UPC                 | 786210548043                                                                                                                                         |
| Voltage Rating      | 600 V                                                                                                                                                |

## Certificates and Declarations (Document Number)

|                                   |       |
|-----------------------------------|-------|
| Data Sheet, Technical Information | 54804 |
| Instructions and Manuals          | 54804 |

## Classifications

|                                    |                                               |
|------------------------------------|-----------------------------------------------|
| ETIM 6                             | EC001059 - Crimp splices for copper conductor |
| ETIM 7                             | EC001059 - Crimp splices for copper conductor |
| UNSPSC                             | 39121449                                      |
| WEEE Category                      | Product Not in WEEE Scope                     |
| IDEA Granular Category Code (IGCC) | 4669 >> Wire or cable compression splice      |

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

