

PRODUCT-DETAILS

ADR25-21

AL CONN 250 KCMIL,MIN:6 STR



General Information

Extended Product Type	ADR25-21
Product ID	7TAH006600R0208
EAN	5415022348408
Catalog Description	AL CONN 250 KCMIL,MIN:6 STR
Long Description	Type ADR-ALCUL Two-Conductor, One-Hole Mount, Conductor Range 6 Str-250 kcmil, Length 2-9/16 Inches, Width 1-41/64 Inches, Height 1-3/16 Inches, 3/8 Inch Bolt Hole, Tin Plated

Ordering

EAN	5415022348408
-----	---------------

Dimensions

Product Net Weight	.219 lb
	99.32 g

Container Information

Package Level 1 Units	12 piece
Package Level 1 Width	5.375 in
	137 mm
Package Level 1 Height	2.875 in

	73 mm
Package Level 1 Depth / Length	3.875 in 98 mm
Package Level 2 Units	120 piece
Package Level 2 Width	8.4 in 213 mm
Package Level 2 Height	5.9 in 150 mm
Package Level 2 Depth / Length	15 in 381 mm

Additional Information

Brand / Label	Blackburn
Material	Aluminum
Number of Batteries	0
Number of Conductors	2
Product Name	TERMINAL LUGS
Product Type	Dual-Rated Mechanical Connector
Spacing	3/8 in
Special Functions	Easy Installation - no special tools required.
Standards	UL E9809
Surface Finishing	Tin-Plated
UPC	783786610129

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ADR25-21
Instructions and Manuals	ADR25-21

Classifications

UNSPSC	39121408
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4541 >> Mechanical connectors

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

