

PRODUCT-DETAILS

ADR25

AL 1CNDTR 1HOLE MOUNT 250-6STR TP



General Information

Extended Product Type	ADR25
Product ID	7TAH006600R0207
EAN	5414363147497
Catalog Description	AL 1CNDTR 1HOLE MOUNT 250-6STR TP
Long Description	Type ADR-ALCUL Single-Conductor, One-Hole Mount, Conductor Range Max 250 kcmil, Min 6 Str, Socket Screw, Tin Plated

Ordering

EAN	5414363147497
-----	---------------

Dimensions

Product Net Weight	.105 lb 47.619 g
--------------------	---------------------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	7.25 in 184 mm
Package Level 1 Height	3.875 in 98 mm

Package Level 1 Depth / Length	5.25 in 133 mm
Package Level 2 Units	250 piece
Package Level 2 Width	11.5 in 292 mm
Package Level 2 Height	7.6 in 193 mm
Package Level 2 Depth / Length	20.6 in 523 mm

Additional Information

Brand / Label	Blackburn
Insulation Material	None
Material	Aluminum
Number of Batteries	0
Number of Conductors	1
Product Name	TERMINAL LUGS
Product Type	Dual-Rated Mechanical Connector
Special Functions	Easy Installation - no special tools required.
Standards	UL E9809
Surface Finishing	Tin-Plated
UPC	783786610105

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ADR25
Instructions and Manuals	ADR25

Classifications

UNSPSC	39121408
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4541 >> Mechanical connectors

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

