

PRODUCT-DETAILS

ADR30

AL 1CNDTR 1HOLE MOUNT 6-300STR TP



General Information

Extended Product Type	ADR30
Product ID	7TAH006600R0213
EAN	0783786610167
Catalog Description	AL 1CNDTR 1HOLE MOUNT 6-300STR TP
Long Description	Type ADR-ALCUL Single-Conductor, One-Hole Mount, Conductor Range 6 Str-300 kcmil, Length 2.0 Inches, Width 1.0 Inch, Height 1-1/8 Inches, Socket Screw, Tin Plated

Ordering

EAN	0783786610167
-----	---------------

Dimensions

Product Net Weight	.094 lb
	42.63 g

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	5.3 in
	135 mm
Package Level 1 Height	3.7 in
	94 mm

Package Level 1 Depth / Length	6.8 in 173 mm
Package Level 2 Units	250 piece
Package Level 2 Width	11.5 in 292 mm
Package Level 2 Height	7.8 in 198 mm
Package Level 2 Depth / Length	20.3 in 516 mm

Additional Information

Brand / Label	Blackburn
Insulation Material	None
Material	Aluminum
Number of Batteries	0
Number of Conductors	1
Product Name	BLACKBURN MECHANICAL
Product Type	Dual-Rated Mechanical Connector
Special Functions	Easy Installation - no special tools required.
Standards	UL E9809
Surface Finishing	Tin-Plated
UPC	783786610167

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ADR30
Instructions and Manuals	ADR30

Classifications

UNSPSC	39121408
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4541 >> Mechanical connectors

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

