


Press Copper Reducing Tee

FEATURES

- **Press Connection:** Ensures a secure connection without welding, brazing, or soldering.
- **Durable Copper Construction:** Provides outstanding corrosion resistance and dependable strength.
- Versatile Plumbing Part: Ideal for use in commercial and residential plumbing systems.





SKU	Size (D1)	Size (D2)	Size (D3)	L1	A1	L2	A2	L3	A3
CPT050-050-075	1/2*	1/2*	3/4"	1.71"	0.91"	1.71"	0.91"	1.54"	0.59"
CPT075-050-050	3/4"	1/2"	1/2*	1.63"	0.69"	1.75"	0.94"	1.44"	0.63"
CPT075-050-075	3/4"	1/2*	3/4"	1.79"	0.85"	1.87"	1.06"	1.59"	0.65"
CPT075-075-050	3/4"	3/4"	1/2*	1.63"	0.69"	1.63"	0.69"	1.44"	0.63"
CPT075-075-100	3/4"	3/4"	1"	2.03"	1.08"	2.03"	1.08"	1.73"	0.81"
CPT100-075-075	1"	3/4"	3/4"	1.79"	0.85"	2.01"	1.06"	1.73"	0.79"
CPT100-075-100	1"	3/4"	1"	1.91"	1.08"	2.17"	1.22"	1.73"	0.79"
CPT100-100-050	1"	1"	1/2*	1.63"	1.63"	1.63"	1.63"	1.59"	0.79"
CPT100-100-075	1"	1"	3/4"	1.79"	0.85"	1.79"	0.85"	1.73"	0.79"
CPT100-050-100	1"	1/2*	1"	1.91"	0.96"	2.22"	1.41"	1.73"	0.79"
CPT125-075-075	1-1/4"	3/4"	3/4"	1.87"	0.73"	2.28"	1.34"	1.97"	1.02"
CPT125-100-075	1-1/4"	1"	3/4"	1.87"	0.73"	2.11"	1.16"	1.97"	1.02"
CPT125-100-100	1-1/4"	1"	1"	1.99"	0.85"	2.22"	1.28"	2.05"	1.10"
CPT125-125-050	1-1/4"	1-1/4"	1/2*	1.77"	0.63"	1.77"	0.63"	1.73"	0.93"
CPT125-125-075	1-1/4"	1-1/4"	3/4"	1.87"	0.73"	1.87"	0.73"	1.95"	1.02"
CPT125-125-100	1-1/4"	1-1/4"	1"	1.97"	0.85"	1.97"	0.85"	2.03"	1.10"
CPT150-150-050	1-1/2"	1-1/2"	1/2*	2.05"	0.59"	2.05"	0.59"	2.01"	1.20"
CPT150-150-075	1-1/2"	1-1/2"	3/4"	2.13"	0.67"	2.13"	0.67"	2.09"	1.14"
CPT150-150-100	1-1/2"	1-1/2"	1"	2.26"	0.81"	2.26"	0.81"	2.09"	1.14"
CPT150-150-125	1-1/2"	1-1/2"	1-1/4"	2.38"	0.93"	2.38"	0.93"	2.24"	1.10"
CPT200-200-050	2"	2"	1/2*	2.42"	0.81"	2.42"	0.81"	2.15"	1.34"
CPT200-200-075	2"	2"	3/4"	2.42"	0.81"	2.42"	0.81"	2.40"	1.46"
CPT200-200-100	2"	2"	1"	2.54"	0.93"	2.54"	0.93"	2.44"	1.50"
CPT200-200-125	2"	2"	1-1/4"	2.66"	1.04"	2.66"	1.04"	2.60"	1.46"
CPT200-200-150	2"	2"	1-1/2"	2.78"	1.16"	2.78"	1.16"	2.99"	1.54