


## **Steam Angle Radiator Valve**

(FIP x Male Union)

## **FEATURES**


- C85700 Brass Construction Ideal for applications requiring durability, aesthetic appeal, and resistance to water and heat exposure.
- Versatile Pressure and Temperature Rating Designed to safely operate under moderate pressure conditions
  (60 PSI - 15 WSP Non-Shock) and conditions without freezing or boiling water.





eller belle a	1,7	Dimensions						
SKU	Size	D	Н	H1	L	FIP	MIP	
RVST050	1/2"	2.30"	2.75"	0.98"	2.22"	1/2"- 14NPT	1/2"- 14NPT	
RVST075	3/4"	2.30"	2.75"	1.11"	2.54"	3/4"- 14NPT	3/4"- 14NPT	
RVST100	1"	2.30"	3.05"	1.28"	2.83"	1"- 11.5NPT	1"- 11.5NPT	
RVST125	1-1/4"	2.30"	3.32"	1.41"	3.18"	1-1/4"- 11.5NPT	1-1/4"- 11.5NPT	
RVST150	1-1/2"	2.30"	3.46"	1.73"	3.58"	1-1/2"- 11.5NPT	1-1/2"- 11.5NPT	

No	Part	Material	QTY	Water Contact
1	Bolt	Hot Rolled SAE 1010R	1	No
2	Name Plate	Aluminum A1100	1	No
3	Handle	Phenolic	1	No
4	Packing Nut	Brass Rod C37700	1	No
5	Packing	Teflon Polyflon PTFE M-392	1	Yes
6	Bonnet	Cast Brass C85700	1	Yes
7	Stem	Brass Rod C37700	1	Yes
	Seat Holder 1/2"	Brass Rod C37700		
8	Seat Holder 3/4" – 2"	Cast Brass C85700	1	Yes
9	Seat Packing	Rubber (NBR) SN-819F	1	Yes
10	Washer	Stainless Steel 304	1	Yes
11	Nut	Forged Brass C26000	1	Yes
12	Body	Cast Brass C85700	1	Yes
	Nipple 1/2" - 1-1/4"	Forged Brass C37700		
13	Nipple 1-1/2" – 2"	Cast Brass C85700	1	Yes
	Packing Nut 1/2" - 1-1/4"	Forged Brass C37700		
14	Packing Nut 1-1/2" - 2"	Cast Brass C85700	1	No



5