

The diagram image is unavailable

Revision Number - 1

OPTIONAL ELECTRIC HEATING PARTS

Callout	Name	Quantity	Description
	208/230V KIT Cat #: Model/Part #:		
01	PANEL - COMPONENT Cat #: 601645-01 Model/Part #: 601645-01	1	PANEL - COMPONENT
02	FRAME (5 pc blk) Cat #: 82W15 Model/Part #: 601643-01	1	FRAME (5 pc blk)
03	FRAME (4 pc blk) Cat #: 82W16 Model/Part #: 601637-01	1	FRAME (4 pc blk)
04	WRAPPER, ELECTRIC HEAT Cat #: LB-66176 Model/Part #: LB-66176	1	WRAPPER, ELECTRIC HEAT
05	PANEL-ELECTRIC HEAT Cat #: 601928-01 Model/Part #: 601928-01	1	PANEL-ELECTRIC HEAT
05	PANEL -- ELECTRIC HEAT BACK Cat #: 603047-01 Model/Part #: 603047-01	1	PANEL -- ELECTRIC HEAT BACK
05	PANEL-ELECTRIC HEAT (2 pc blk) Cat #: 604059-01 Model/Part #: 604059-01	1	PANEL-ELECTRIC HEAT (2 pc blk)
06	FRAME (4 pc blk) Cat #: 82W17 Model/Part #: 601638-01	1	FRAME (4 pc blk)
08	ELEMENT-ASSY Cat #: 99J40 Model/Part #: LB-66231A	1	ELEMENT FRAME, 30KW-1Y
08	ELEMENT-ASSY Cat #: 99J41 Model/Part #: LB-66231B	2	ELEMENT FRAME, 30KW-G
08/09	ELEMENT-ASSY Cat #: 99J42 Model/Part #: LB-66231C	2	ELEMENT FRAME, 60KW-J
18	BLOCK-TERMINAL Cat #: 72F88 Model/Part #: 72F8801	1	BLOCK, TERMINAL
20/22	BLOCK-FUSE Cat #: 37957 Model/Part #: P-8-7159	2	FUSE BLOCK
23/24	CONTACTOR Cat #: 95M57 Model/Part #: 100438-03	2	CONTACTOR 3PST 25A

Callout	Name	Quantity	Description
23/24	CONTACTOR Cat #: 38113 Model/Part #: P-8-7716	2	CONTACTOR, 3 POLE 40A
29-32	FUSE Cat #: 37916 Model/Part #: P-8-5852	12	FUSE 60A
30/32	FUSE Cat #: 38678 Model/Part #: P-8-10089	6	FUSE 50A
30/32	FUSE Cat #: 37917 Model/Part #: P-8-5853	6	FUSE 40A
K15	BLOCK,FUSE Cat #: 37912 Model/Part #: P-8-5848	4	BLOCK, FUSE
K16	CONTACTOR Cat #: 38113 Model/Part #: P-8-7716	2	CONTACTOR, 3 POLE 40A
S15	CONTROL-LIMIT, 60TX11-314975 BLU/WHT/BLU Cat #: 76W35 Model/Part #: 100611-06	1	CONTROL-LIMIT (110 DEGREE)
S157	CONTROL-LIMIT 61F24 (STYLE 322850) WHITE Cat #: 76W34 Model/Part #: 102610-01	6	CONTROL-LIMIT (SECONDARY)
S20	CONTROL-LIMIT, 60TX11-314976 RED/WHT/RED Cat #: 76W36 Model/Part #: 100611-07	1	CONTROL-LIMIT (125 DEGREE)

Note:

There are no technical notes for this product.