

**Industrial LED luminaires**  
Exit and Emergency

**Sure-Lites**






# SEL/SELM Indoor/Outdoor

WAREHOUSE / DISTRIBUTION | MANUFACTURING | GYMNASIUMS / MULTI-PURPOSE ROOMS / ATHLETIC CENTER | BIG BOX / RETAIL

SEL




Polycarbonate



SELM




Metal



| Feature                                | Benefit                             |
|----------------------------------------|-------------------------------------|
| Up to 60 feet of egress coverage       | Up to \$300 savings on installation |
| LED source with Nickel cadmium battery | Up to ten years with no maintenance |
| Optional remote capacity               | Indoor, outdoor design flexibility  |
| Self-diagnostics w/laser test          | Reduce labor of NFPA/OSHA testing   |

| Certification/warranty           |
|----------------------------------|
| UL924 damp location              |
| NFPA 101 compliant               |
| NEC/OSHA compliant               |
| 5-year product warranty          |
| 7-year prorated battery warranty |



**T20** Certified to California Title 20 Appliance Database

damp location

Self-diagnostics




# SELHP100R3 Indoor

WAREHOUSE / DISTRIBUTION | MANUFACTURING | GYMNASIUMS / MULTI-PURPOSE ROOMS / ATHLETIC CENTER | BIG BOX / RETAIL

SELHP100R3/SELHP100R3SD




High Impact Thermoplastic



| Feature                                     | Benefit                                     |
|---------------------------------------------|---------------------------------------------|
| Up to 100 feet of egress coverage           | Fewer fixtures required for egress coverage |
| LED source with LiFePO <sub>4</sub> battery | Peace of mind                               |
| 3 Watts remote capacity                     | Indoor, outdoor design flexibility          |
| Self-diagnostics option                     | Reduce labor of NFPA/OSHA testing           |

| Certification/warranty  |
|-------------------------|
| UL924 damp location     |
| NFPA 101 compliant      |
| NEC/OSHA compliant      |
| 5-year product warranty |
| 5-year battery warranty |



CERTIFIED

**T20** Certified to California Title 20 Appliance Database

damp location



Self-diagnostics






# SELW/SELD Outdoor

WAREHOUSE / DISTRIBUTION | MANUFACTURING | GYMNASIUMS / MULTI-PURPOSE ROOMS / ATHLETIC CENTER | BIG BOX / RETAIL





| Feature                                | Benefit                             |
|----------------------------------------|-------------------------------------|
| LED source with Nickel cadmium battery | Up to ten years with no maintenance |
| Forward throw optic                    | Maximum design flexibility          |
| 29 feet spacing                        | Less fixtures required              |
| Self-diagnostics w/laser test          | Reduce labor of NFPA/OSHA testing   |

| Certification/warranty           |
|----------------------------------|
| UL924 wet location               |
| NFPA 101 compliant               |
| NEC/OSHA compliant               |
| 5-year product warranty          |
| 7-year prorated battery warranty |




| Feature                                   | Benefit                             |
|-------------------------------------------|-------------------------------------|
| LED source with Nickel cadmium battery    | Up to ten years with no maintenance |
| 58 foot spacing                           | Less fixtures required              |
| Standard self-diagnostics with laser test | Reduce labor of NFPA/OSHA testing   |
| NEMA 4X; IP66; - 30° C to 50° C           | Maximum design flexibility          |

| Certification                   |
|---------------------------------|
| UL924 wet location              |
| NEMA 4X                         |
| NFPA 101 compliant              |
| NEC/OSHA compliant              |
| IP66                            |
| NSF                             |
| IP66HAZ (class 1, Div 2) option |



LPX Exit




| Feature                                     | Benefit                             |
|---------------------------------------------|-------------------------------------|
| LED source with Nickel cadmium battery      | Up to ten years with no maintenance |
| Field adjustable for red or green           | Maximum design flexibility          |
| Optional emergency heads or remote capacity | Less fixtures required              |
| Standard self-diagnostics with laser test   | Reduce labor of NFPA/OSHA testing   |

| Certification/warranty           |
|----------------------------------|
| UL924 damp location              |
| NFPA 101 compliant               |
| NEC/OSHA compliant               |
| 5-year product warranty          |
| 7-year prorated battery warranty |



LPX LED Combo





WAREHOUSE / DISTRIBUTION | MANUFACTURING | GYMNASIUMS / MULTI-PURPOSE ROOMS / ATHLETIC CENTER | BIG BOX / RETAIL




UX Exit



SINGLE FACE



LPWX Exit



| Feature                                   | Benefit                             |
|-------------------------------------------|-------------------------------------|
| LED source with Nickel cadmium battery    | Up to ten years with no maintenance |
| Field adjustable for red or green         | Maximum design flexibility          |
| Standard self-diagnostics with laser test | Reduce labor of NFPA/OSHA testing   |
| NEMA 4X; IP66; - 30° C to 50° C           | Maximum design flexibility          |

Certification/warranty


|                                                           |
|-----------------------------------------------------------|
| UL924 wet location                                        |
| NEMA 4X/IP66                                              |
| NFPA 101 compliant                                        |
| NEC/OSHA/NSF compliant                                    |
| HAZ (class 1, Div 2) rated option                         |
| NSF                                                       |
| 5-year product warranty, 7-year prorated battery warranty |



| Feature                                   | Benefit                             |
|-------------------------------------------|-------------------------------------|
| LED source with Nickel cadmium battery    | Up to ten years with no maintenance |
| UV stabilized polycarbonate housing       | Outdoor capable                     |
| Standard self-diagnostics with laser test | Reduce labor of NFPA/OSHA testing   |
| Wet location listed; - 30° C to 50° C     | Maximum design flexibility          |


Certification/warranty

|                                                           |
|-----------------------------------------------------------|
| UL924 wet location                                        |
| NFPA 101 compliant                                        |
| NEC/OSHA compliant                                        |
| 5-year product warranty, 7-year prorated battery warranty |



# Why Sure-Lites?

## Product Features




### EZ Key External Battery Disconnect

- Prevents the battery from cycling during the construction phase and ensures a full battery charge for inspection.



### Laser Test

- Enables remote testing by utilizing a laser pointer to simulate AC power loss and engagement of emergency operation.



Self-diagnostics

### Self-diagnostics

- Eliminates labor intensive NFPA required monthly testing.



### Red/Green Selectable

- Easy for distribution/no call backs.
- LPX, LPXC, CX and UX series.

LPX Exit



LPXC Exit



CX Exit



UX Exit



**Lighting Brands**

Ametrix  
AtLite  
Corelite  
Ephesus  
Fail-Safe  
HALO  
HALO Commercial  
Invue  
iO  
Iris  
Lumark  
Lumière  
McGraw-Edison  
Metalux  
MWS  
Neo-Ray  
Portfolio  
PrentaLux - 3D Printed Lighting  
RSA  
Shaper  
Streetworks  
Sure-Lites  
Telensa

**Controls Brands**

Greengate  
Fifth Light  
Intelligent Lighting Controls

**Connected Lighting Systems  
and Smart Spaces Platform**

WaveLinx



**Cooper Lighting Solutions**  
1121 Highway 74 South  
Peachtree City, GA 30269  
P: 770-486-4800  
[www.cooperlighting.com](http://www.cooperlighting.com)

Canada Sales  
5925 McLaughlin Road  
Mississauga, Ontario L5R 1B8  
P: 905-501-3000  
F: 905-501-3172

© 2023 Cooper Lighting Solutions  
All Rights Reserved  
Printed in USA  
Publication No. BR505013EN  
August 3, 2023 4:14 PM

Cooper Lighting Solutions is a  
registered trademark.

All other trademarks are property  
of their respective owners.

Product availability, specifications,  
and compliances are subject to  
change without notice.