

Eaton CH6L125R

Catalog Number: CH6L125R

Eaton CH main lug loadcenters,Cover included,Main lug only,125A,5r,Copper,NEMA 3R,Metallic,CH,6,Six-pole,6,Three-wire,Single-phase,120/240 V, 208 Y/120, 240 V,#8-2 AWG



General specifications

Product Name	Catalog Number
Eaton CH main lug loadcenter	CH6L125R
UPC	Product Length/Depth
786676024815	11.75 in
Product Height	Product Width
4.5 in	6.5 in
Product Weight	Warranty
7.25 lb	Limited lifetime
Certifications	Catalog Notes
UL 67	Padlockable door. Hub closure plate provided as standard. Single keyhole, two-or three-point mounting provisions. Accepts hub series ds__h2. Up to three 240v connected loads.

defaultTaxonomyAttributeLabel

Special features

Cover included

Type

Main lug only

Amperage Rating

125 A

Bus material

Copper

Main circuit breaker

CH

Number of circuits

6

Number Of Poles

Six-pole

Number of spaces

6

Phase

Single-phase

Voltage rating

120/240V, 208Y/120, 240V

Wire size

#8-2 AWG

Box size

5R

Enclosure

NEMA 3R

Enclosure material

Metallic

Interrupt rating

25 kAIC

Number of wires

3

Resources

Brochures

Loadcenters and Circuit Breakers

Type CH Circuit Breakers and Loadcenters

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

Multimedia

AFCI Educational Video

Specifications and datasheets

Eaton Specification Sheet - CH6L125R

Warranty guides

Eaton type CH circuit breaker limited warranty June 2024



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia