


8000

STRUT NUT WITHOUT SPRING

Material:

Electro-galvanized carbon steel.
Also available in stainless steel.




Rod (Thread) Size	Thickness	Weight Each (lbs)
#8-32	1/4"	0.06
#10-24	1/4"	0.06
#10-32	1/4"	0.06
1/4"	1/4"	0.06
5/16"	3/8"	0.09
3/8"	3/8"	0.09
7/16"	3/8"	0.09
1/2"	3/8"	0.09
5/8"	1/2"	0.13
3/4"	1/2"	0.13
7/8"	1/2"	0.13

8050

STRUT NUT WITH SHORT SPRING

Material:

Electro-galvanized carbon steel.
Also available in stainless steel.



Rod (Thread) Size	Thickness	Weight Each (lbs)
#8-32	1/4"	0.07
#10-24	1/4"	0.07
#10-32	1/4"	0.07
1/4"	1/4"	0.07
5/16"	3/8"	0.06
3/8"	3/8"	0.09
7/16"	3/8"	0.09
1/2"	3/8"	0.09
5/8"	1/2"	0.10


8100

STRUT NUT WITH REGULAR SPRING

Material:

Electro-galvanized carbon steel.
Also available in stainless steel. (8100SX)

Note: To be used on 1-3/8" and 1-5/8" strut.



Rod (Thread) Size	Thickness	Weight Each (lbs)
#8-32	1/4"	0.075
#10-24	1/4"	0.075
#10-32	1/4"	0.075
1/4"	1/4"	0.070
5/16"	3/8"	0.100
3/8"	3/8"	0.100
7/16"	3/8"	0.100
1/2"	3/8"	0.120
5/8"	1/2"	0.150
3/4"	1/2"	0.150
7/8"	1/2"	0.150