




Materials/ Finishes:	Electro-Galvanized (231G)	T-304 Stainless Steel (231SS)
	T-316 Stainless Steel (231SX)	Copper Epoxy Coated <i>Copper Gard</i> (231CT)
Variants:	T-304 Stainless Steel for OD Sizes: Domestic (231ODSS)	
	T-316 Stainless Steel for OD Sizes: Domestic (231ODSX)	
Service:	Designed as a light-duty support for schedule 40/80 sized pipe. Attaches directly to horizontal or vertical structural member.	
Approvals:	Complies with Manufacturers' Standardization Society MSS SP-58 & SP-69 (Type# 26).	
Ordering:	Specify figure number, finish, and pipe or OD size.	
Notes:	Stainless steel hangers are recommended for applications where protection from a corrosive environment is required.	

FIG. 231

TUBE SIZE	PIPE OD	A	B	C	WGT EACH (lbs)
1/4	0.540	7/32	2 1/8	1 1/4	0.01
3/8	0.675	7/32	2 1/4	1 1/2	0.03
1/2	0.840	7/32	2 5/8	1 7/8	0.04
3/4	1.050	7/32	2 3/4	2	0.07
1	1.315	9/32	3 3/8	2 5/8	0.08
1 1/4	1.660	9/32	4 1/4	3 1/4	0.1
1 1/2	1.900	9/32	4 3/8	3 3/8	0.13
2	2.375	9/32	5	4	0.18
2 1/2	2.875	11/32	6 1/4	4 3/4	0.26
3	3.500	11/32	7 1/4	5 3/4	0.32
4	4.500	11/32	8 3/8	6 7/8	0.4
6	6.625	11/32	11 1/8	9 5/8	0.75

FIG. 231CT

PIPE SIZE	PIPE OD	A	B	C	WGT EACH (lbs)
1/4	0.375	3/16	1 3/16	1 3/16	0.01
3/8	0.500	3/16	1 15/16	1 5/16	0.01
1/2	0.625	3/16	2 1/8	1 1/2	0.01
3/4	0.875	3/16	2 5/16	1 11/16	0.02
1	1.125	3/16	2 7/16	2 1/4	0.02
1 1/4	1.375	3/16	3 1/8	2 1/2	0.04
1 1/2	1.625	7/16	3 11/16	2 13/16	0.05
2	2.125	7/16	4 1/4	3 3/8	0.06

FIG. 231SS, 231SX AND OD SIZES

PIPE SIZE	PIPE OD	A	B	C	WGT EACH (lbs)
3/8 OD	0.375	3/16	1 7/8	1 1/4	0.030
3/8	0.675	3/16	2 1/4	1 9/16	0.045
1/2 OD	0.500	3/16	2	1 3/8	0.035
1/2	0.840	3/16	2 5/16	1 3/4	0.045
3/4 OD	0.750	3/16	2 3/4	2	0.040
3/4	1.050	3/16	2 5/8	2	0.060
1 OD	1.000	3/16	2 1/2	1 7/8	0.050
1	1.315	3/16	2 13/16	2 3/16	0.060
1 1/4 OD	1.660	9/32	3 11/16	2 13/16	0.105
1 1/4	1.250	9/32	3 1/4	2 7/16	0.105
1 1/2 OD	1.900	9/32	3 15/16	3 1/16	0.115
1 1/2	1.500	9/32	3 1/2	2 11/16	0.115
2 OD	2.375	9/32	4 3/8	3 9/16	0.135
2	2.000	9/32	4	3 3/16	0.135
2 1/2	2.875	11/32	5 1/4	4 1/4	0.165
3	3.500	11/32	6	5	0.190
4	4.500	7/16	7 1/4	6 1/4	0.105
6	6.625	9/16	11	9 7/16	1.150

PROJECT INFORMATION

APPROVAL STAMP

Project:			Notes:
Address:			
Contractor:			
Engineer:			
Date:			
Approved	Approved as Noted	Not Approved	