

Part No.	Reference No.	Quantity	Description
GMND0108#GMNDUP1~S	*		CANADIAN STANDARD VENT CAP & ADAPTER
75000241#GMNDUP1~S	*		COMBUSTION CHAMBER ASSEMBLY
75003576#GMNDUP1~S	*		FURNACE ASSEMBLY
75003574#GMNDUP1~S	*		GENERAL ASSEMBLY
75000357#GMNDUP1~S	*		IGNITION CONTROL ASSEMBLY - G770MGA
75000359#GMNDUP1~S	*		IGNITION CONTROL ASSEMBLY - S8600H
75000358#GMNDUP1~S	*		IGNITION CONTROL ASSEMBLY - S8600M
75003573#GMNDUP1~S	*		MODEL NUMBER DESCRIPTION
75000243#GMNDUP1~S	*		PILOT BURNER ASSEMBLY
75000245#GMNDUP1~S	*		PILOT BURNER ASSEMBLY
75003575#GMNDUP1~S	*		POWER VENT ASSEMBLY
GMND0001_GMNDUP1_113282~ P	*		TOP LEVEL PARTS LIST

NO GRAPHIC AVAILABLE

75013702

REV
A

**NO
GRAPHIC
AVAILABLE**

MODEL NUMBER DESCRIPTION


75003573

REV
B


DIGIT 1: Gas Heating Equipment
 DIGIT 2: Unit Type
 M = Separated Combustion Gas Fired Indoor Duct Furnace
 DIGIT 3: Fuel
 N = Natural
 P = LP Gas (Propane)
 S = Special
 DIGIT 4: Development Sequence
 D = Forth
 DIGIT 5,6,7: Input Capacity
 010 =100 MBh 022 =220 MBh
 012 =125 MBh 025 =230 MBh
 015 =150 MBh 030 =300 MBh
 017 =170 MBh 035 =350 MBh
 020 =200 MBh 040 =400 MBh
 DIGIT 8: Main Power Supply
 A = 115/60/1 D = 230/60/3
 B = 230/60/1 E = 460/60/3
 C = 208/60/3 S = Special
 DIGIT 9: Gas Control Options
 A =Single-Stage Standing Pilot
 C =Hydraulic Modulating Standing Pilot*
 D =Single-Stage, Intermittent Pilot Ignition
 E =Two-Stage, Intermittent Pilot Ignition
 F =Hydraulic Modulating Intermittent Pilot Ign.,60-100°F Only
 G =Hydraulic Modulating With Bypass, Inter. Pilot Ign. 60-100°F Only
 H =Electronic Modulating With Roomt-Stat, Intermittent Pilot Ignition
 J =Electronic Modulating With Duct-Stat, Intermittent Pilot Ignition
 K =Single Stage, Hot Surface Pilot Ignition
 L =Electronic Modulating With External 4-20mA Input
 N =Electronic Modulating With External 0-10VDC Input
 P =Hydraulic Modulating, Intermittent Pilot Ignition (75-150°F)
 R =Hydraulic Modulating With Bypass Intermittent Pilot Ignition (75-150°F)
 S =Special
 *Specify discharge temperature
 DIGIT 10: Design Sequence
 E = Fifth Design
 DIGIT 11: Heat Exchanger Matl
 1 = Aluminized Steel
 2 = #409 Stainless Steel
 3 = #321 Stainless Steel
 S = Special
 DIGIT 12: Rooftop Arrangement
 0 = None
 S = Special
 DIGIT 13: Rooftop Heating Unit Motor Selection
 0 = None
 S = Special
 DIGIT 14: Rooftop Fan Selection
 0 = None
 S = Special
 DIGIT 15: Miscellaneous Options
 All Units
 0 = None
 A = #409 Stainless Steel Burners
 B = Orifices for Elevation Above 2000 Feet (Specify Elevation)
 S = Special
 Separated Combustion Gas Fitted Indoor Duct Furnace
 C = #409 Stainless Steel Draft Diverter
 D = Summer/Winter Switch
 F = Horizontal Louvers
 G = Vertical & Horizontal Louvers

Part No.	Reference No.	Quantity	Description
75003573_GMNDUP1_113307~P	*		MODEL NUMBER DESCRIPTION PARTS LIST

MODEL NUMBER DESCRIPTION		75003573	REV B
DIGIT 1: Gas Heating Equipment		R =Hydraulic Modulating With Bypass Intermittent Pilot Ignition (75-150°F)	
DIGIT 2: Unit Type		S =Special	
M = Separated Combustion Gas Fired Indoor Duct Furnace		*Specify discharge temperature	
DIGIT 3: Fuel			
N = Natural		DIGIT 10: Design Sequence	
P = LP Gas (Propane)		E = Fifth Design	
S = Special			
DIGIT 4: Development Sequence		DIGIT 11: Heat Exchanger Matl	
D = Forth		1 = Aluminized Steel	
		2 = #409 Stainless Steel	
DIGIT 5,6,7: Input Capacity		3 = #321 Stainless Steel	
010 =100 MBh 022 =220 MBh		S = Special	
012 =125 MBh 025 =230 MBh			
015 =150 MBh 030 =300 MBh		DIGIT 12: Rooftop Arrangement	
017 =170 MBh 035 =350 MBh		0 = None	
020 =200 MBh 040 =400 MBh		S = Special	
DIGIT 8: Main Power Supply			
A = 115/60/1 D = 230/60/3		DIGIT 13: Rooftop Heating Unit Motor Selection	
B = 230/60/1 E = 460/60/3		0 = None	
C = 208/60/3 S = Special		S = Special	
DIGIT 9: Gas Control Options		DIGIT 14: Rooftop Fan Selection	
A =Single-Stage Standing Pilot		0 = None	
C =Hydraulic Modulating Standing Pilot*		S = Special	
D =Single-Stage, Intermittent Pilot Ignition		DIGIT 15: Miscellaneous Options	
E =Two-Stage, Intermittent Pilot Ignition		All Units	
F =Hydraulic Modulating Intermittent Pilot Ign.,60-100°F Only		0 = None	
G =Hydraulic Modulating With Bypass, Inter. Pilot Ign. 60-100°F Only		A = #409 Stainless Steel Burners	
H =Electronic Modulating With Roomt-Stat, Intermittent Pilot Ignition		B = Orifices for Elevation Above 2000 Feet (Specify Elevation)	
J =Electronic Modulating With Duct-Stat, Intermittent Pilot Ignition		S = Special	
K =Single Stage, Hot Surface Pilot Ignition		Separated Combustion Gas Fitted Indoor Duct Furnace	
L =Electronic Modulating With External 4-20mA Input		C = #409 Stainless Steel Draft Diverter	
N =Electronic Modulating With External 0-10VDC Input		D = Summer/Winter Switch	
P =Hydraulic Modulating, Intermittent Pilot Ignition (75-150°F)		F = Horizontal Louvers	
		G = Vertical & Horizontal Louvers	



Part No.	Reference No.	Quantity	Description
75003574_GMNDUP1_113310~P	*		GENERAL ASSEMBLY PARTS LIST




GENERAL ASSEMBLY PARTS LIST


Parts List Number :GMND0001#GMNDUP1

Model Number :GMPD030ADG10000


Part No.	Reference No.	Quantity	Description
PNE09545	1	1	PANEL; R.H JACKET
PNE09546	2	1	PANEL; LH JACKET
BRK02457	3	1	BRACKET; JUNCTION BOX
BRK02458	4	1	BRACKET; SUPPORT, HOZ RH TURN PV




Part No.	Reference No.	Quantity	Description
75003576_GMNDUP1_152376~P	*		FURNACE ASSEMBLY PARTS LIST




Part No.	Reference No.	Quantity	Description
EXC01748	1	1	EXCHANGER; HEAT, ALUMINUM
FLU00162	2	1	FLUE;COLLECTOR ASSEMBLY (QVSF/B 300) ALUM.
BAF00267	3	1	BAFFLE; HEAT EXCHANGER AIR
PNE09554	4	1	PANEL; EXTENSION BOTTOM
PNE09564	5	1	PANEL; EXTENSION TOP
PNE09574	6	1	PANEL; DUCT EXTENSION ASM.
PNE09577	7	2	PANEL; EXTENSION SIDE
SCR00769	8	0	SCREW; #8, PHILIPS PAN HEAD,1/2 IN. LG.
BRK02941	9	1	BRACKET; RPL HIGH LIMIT FOR 100/125 ROOFTOP UNIT, STERLING L. H., TRANE R.H.
SWT01743	9	1	SWITCH; HIGH LIMIT, 190 DEGREE, 2 PRONG
SWT01744	9	1	SWITCH; HI LIMIT, 190 DEGREE, 3 PRONG




Part No.	Reference No.	Quantity	Description
75000241_GMNDUP1_325213~P	*		COMBUSTION CHAMBER ASSEMBLY PARTS LIST




Part No.	Reference No.	Quantity	Description
GLS00172	1	1	GLASS;WINDOW VIEWING, 1 1/2 INCHES
BRK01003	2	1	BRACKET; HONEYWELL IGNITOR MOUNTING
SCR00769	3	2	SCREW; #8, PHILIPS PAN HEAD,1/2 IN. LG.
SCR00769	4	0	SCREW; #8, PHILIPS PAN HEAD,1/2 IN. LG.
SHT00034	5	24	SHUTTER; AIR
SHT00034	6	12	SHUTTER; AIR
ORF00209	7	0	ORIFICE;BURNER, PROPANE, DRILL SIZE #54 ORDER QTY PIECES
RIV00055	8	3	RIVET;POP
MFD00824	9	1	MANIFOLD; ASSEMBLY
BLT00183	10	4	BOLT; HEX HEAD
WAS00813	11	4	WASHER;SPRING LOCK, 5/16"
NUT00518	12	4	NUT; HEX HEAD
SCR00769	13	0	SCREW; #8, PHILIPS PAN HEAD,1/2 IN. LG.
PNN04921	14	1	PANEL;GAS SUPPLY INLET (225-400 MBH)
VAL04208	16	1	VALVE;LP GAS, SPARK IGN. 1-STAGE, 1/2X 3/4




Part No.	Reference No.	Quantity	Description
75000243_GMNDUP1_138772~P	*		PILOT BURNER ASSEMBLY PARTS LIST




Part No.	Reference No.	Quantity	Description
PIT00085	1	1	PILOT; BURNER ASSEMBLY, PROPANE, 150/400, HONEYWELL
SCR01120	2	2	SCREW; SLOTTED ROUND HEAD MACHINE, #10-32, 3/16 LENGTH
PIT00069	3	1	PILOT; LP GAS, BURNER
BRK01004	4	1	BRACKET; PILOT BURNER
TUB02033	5	1	TUBE;PILOT BURNER,24IN.ALUMINUM,1/4IN.OD
LED00321	6	1	LEAD;36IN.HI-TEMP IGNITION CABLE W/CERAMIC BOOT




Part No.	Reference No.	Quantity	Description
75000245_GMNDUP1_138773~P	*		PILOT BURNER ASSEMBLY PARTS LIST




Part No.	Reference No.	Quantity	Description
PIT00089	1	1	PILOT; LP GAS, BURNER ASSEMBLY, INTERMITTENT PILOT, 150/400
SCR01120	2	1	SCREW; SLOTTED ROUND HEAD MACHINE, #10-32, 3/16 LENGTH
PIT00027	3	1	PILOT;PROPANE, W/IGNITOR
SEN00073	4	1	SENSOR;FLAME
BRK01004	5	1	BRACKET; PILOT BURNER
TUB02033	6	1	TUBE;PILOT BURNER,24IN.ALUMINUM,1/4IN.OD
LED00284	7	1	LEAD; SENSING, 58"




Part No.	Reference No.	Quantity	Description
75003575_GMNDUP1_113667~P	*		POWER VENT ASSEMBLY PARTS LIST



Part No.	Reference No.	Quantity	Description
BLW00448	1	1	BLOWER;POWER VENT ASM., COMPLETE
MOT02690	2	1	MOTOR, POWER VENT(INDUCER), 1/20 HP, 115/60, 1.5 AMPS, 2 POLE,
PLT01122	3	1	PLATE; ADAPTER FOR POWER VENT ASSEMBLY
BRK00947	4	1	BRACKET; PRESSURE SWITCH MOUNTING
BRK00948	5	1	BRACKET;JUNCTION BOX MOUNTING
RLY02037	6	1	RELAY; MOTOR 24VAC 50/60
FLU00075	7	1	FLUE; VENT
COV01953	8	1	COVER;PRESSURE SWITCH
RLY01770	9	1	RELAY; FAN TIME DELAY, (INSIDE JUNCTION BOX) ALSO CALLED SEQUENCER(THERM-0-DISC)
WHL00509	10	1	WHEEL; DRAFTOR
SWT01564	11	1	SWITCH-AIR PRESSURE
HUS03363	12	1	HOUSING; BLOWER ASSEMBLY




Part No.	Reference No.	Quantity	Description
75000357_GMNDUP1_113304~P	*		IGNITION CONTROL ASSEMBLY - G770MGA PARTS LIST



Parts List Number :GMND0001#GMNDUP1

Model Number :GMPD030ADG10000

Part No.	Reference No.	Quantity	Description
CNT00906	*	1	CONTROL, REMOTE SELECTOR, 55-90 TD121
THT00412	*	1	THERMOSTAT; ROOM OVERRIDE
CNT01190	1	1	CONTROL, IGNITION, W/LOCKOUT




Part No.	Reference No.	Quantity	Description
75000359_GMNDUP1_113306~P	*		IGNITION CONTROL ASSEMBLY - S8600H PARTS LIST

Parts List Number :GMND0001#GMNDUP1

Model Number :GMPD030ADG10000


Part No.	Reference No.	Quantity	Description
CNT00906	*	1	CONTROL, REMOTE SELECTOR, 55-90 TD121
THT00412	*	1	THERMOSTAT; ROOM OVERRIDE
CNT01241	1	1	CONTROL, IGNITION MODULE 90 SEC. MAX. LOCKOUT



Part No.	Reference No.	Quantity	Description
75000358_GMNDUP1_138775~P	*		IGNITION CONTROL ASSEMBLY - S8600M PARTS LIST

Parts List Number :GMND0001#GMNDUP1

Model Number :GMPD030ADG10000



Parts List Number :GMND0001#GMNDUP1

Model Number :GMPD030ADG10000

Part No.	Reference No.	Quantity	Description
CNT00906	*	1	CONTROL, REMOTE SELECTOR, 55-90 TD121
THT00412	*	1	THERMOSTAT; ROOM OVERRIDE
CNT01466	1	1	CONTROL; IGNITOR, CONTINUOUS RETRY 100 PERCENT SHUTOFF IP

Part No.	Reference No.	Quantity	Description
GMND0108_GMNDUP1_113318~ P	*		CANADIAN STANDARD VENT CAP & ADAPTER PARTS LIST

NO GRAPHIC AVAILABLE

75013702

REV
A

**NO
GRAPHIC
AVAILABLE**

Part No.	Reference No.	Quantity	Description
ADP00490	*	1	ADAPTER;
CAP00550	*	1	CAP; VENT 6 INCH