# Strayt™ | K-103S36-SATA

Touchless single-hole lavatory faucet with Kinesis® sensor technology, 0.35 gpm

## Features

- Kinesis® technology with concealed sensor allows for a clean aesthetic and provides extraordinarily accurate and reliable actuation in varying installation environments
- Below-counter valving reduces the faucet footprint and provides easier service
- 0.35 gpm (1.3 lpm) maximum flow rate with vandal-resistant outlet
- On-demand usage with 30-second max. continual run cycle to prevent vandalism and save water
- 18" (457 mm) stainless steel braided flexible supply hose for easy installation
- Box includes: Spout assembly, grid drain, control box assembly, supply hose, and standard mounting hardware
- Requires battery, plug-in AC power, or Hybrid Energy System (each sold separately)



## Sustainability

WATER-SAVING DESIGN

## Available Colors/Finishes

***Color tiles intended for reference only.***

CP Polished Chrome



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-23-2026 18:03 - US-CA

THE BOLD LOOK OF KOHLER

## Codes/Standards

***ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.***

ADA | CSA B651 | OBC

ASME A112.18.1/CSA B125.1
NSF/ANSI/CAN 372
NSF/ANSI/CAN 61
DOE - Energy Policy Act 1992
California Energy Commission (CEC)
ADA
ICC/ANSI A117.1
CSA B651
OBC

## Technical Information

***All product dimensions are nominal.***

### Spout

| | |
|---|---|
| Spout Reach: | 5-1/4" (133 mm) |
| Drain With Overflow: | [object Object] |

### Flow Rate

| | |
|---|---|
| Faucet Flow Rate: | 0.35 gpm (1.3 l/min) |

## Included Components

- K-7129-A Bathroom sink grid drain with overflow (QTY 1)

## Recommended Products/Accessories

- [object Object]23726 Drain treatment
- K-23723 Faucet cleaner

## Required Products/Accessories

- K-13480 AC single supply, global outlets

or

- K-13480-A AC single supply, North American outlets

or

- K-13481 Multi-outlet power supply, global outlets

or

- K-13481-A Multi-outlet power supply, North American outlets

or

- 1359812 Dc Power Unit

or

- 1377524 Powercell Assembly

## Optional Products/Accessories

- K-13478-A 4" escutcheon plate for Insight™ and Kinesis® faucet
- K-13478-B 4" escutcheon plate for Insight™ and Kinesis® faucet
- K-13479-A 8" escutcheon plate for Insight™ and Kinesis® faucet
- K-13479-B 8" escutcheon plate for Insight™ and Kinesis® faucet

## Warranty


***See website for detailed warranty information.***

KOHLER® One-Year Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-23-2026 18:03 - US-CA

THE BOLD LOOK OF KOHLER.




## Installation Notes

***Install this product according to the installation instructions.***

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-23-2026 18:03 - US-CA

THE BOLD LOOK OF KOHLER