



# Underscore® | K-1956-LA

60" x 30" alcove bath, left drain

## Features

- Integral lumbar support
- Slotted overflow allows for deep soaking
- Integral apron creates a clean, finished look
- Integral flange helps prevent water from seeping behind wall and simplifies alcove installation
- Textured bottom surface



## Available Colors/Finishes

*Color tiles intended for reference only.*

- |    |             |
|----|-------------|
| 0  | White       |
| 96 | Biscuit     |
| 7  | Black Black |



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
3-27-2026 15:42 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

CSA B45.5/IAPMO Z124

ASTM E162

ASTM E662

## Technical Information

*All product dimensions are nominal.*

|                        |                                  |
|------------------------|----------------------------------|
| Drain Location:        | Left                             |
| Drain Hole Diameter:   | 2-1/4" (57 mm)                   |
| Minimum Flat for Door: | 2-13/16" (72 mm)                 |
| Basin Area, Bottom:    | 46-1/4" x 22" (1175 mm x 559 mm) |
| Basin Area, Top:       | 52" x 24" (1321 mm x 610 mm)     |
| Water Depth:           | 15-1/2" (394 mm)                 |
| Water Capacity:        | 68 gal (257.4 L)                 |
| Minimum Floor Load:    | 56 lbs/ft²                       |
| Weight:                | 105 lbs (47.6 kg)                |

## Material

- Acrylic

## Recommended Products/Accessories

K-23726 Drain treatment

K-23732 Tub & shower cleaner

K-31795 Slotted overflow bath drain kit for above-the-floor installations

K-31797 Slotted overflow bath drain kit

## Warranty

*See website for detailed warranty information.*

KOHLER® Plastic Baths and Shower Bases Lifetime Limited Warranty




1-800-4KOHLER (1-800-456-4537)




Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

3-27-2026 15:42 - US-CA



No change in measurements if connected with drain illustrated. (K-7272)



## Installation

- Left drain
- Requires Clearflo slotted overflow bath drain (sold separately)
- Alcove

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.

