# Triton® Bowe® | K-522T20-4AEA

Shelf-back bathroom sink faucet

## Features

- 5-1/2 (140 mm) centers
- 1/4-turn full brass ceramic valve
- 2.0 gpm (7.6 lpm) maximum flow rate at 60 psi (4.14 bar)
- Vandal-resistant aerator
- 2-7/16" vandal-resistant metal lever handles
- Grid drain with tailpiece



## Available Colors/Finishes

***Color tiles intended for reference only.***

CP Polished Chrome



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
11-12-2026 01:57 - US-CA

## Codes/Standards

***ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.***

ADA | CSA B651 | OBC

ASME A112.18.1/CSA B125.1
NSF/ANSI/CAN 372
NSF/ANSI/CAN 61
DOE - Energy Policy Act 1992
ADA
ICC/ANSI A117.1
CSA B651
OBC

## Technical Information

***All product dimensions are nominal.***

### Handle

| | |
|---|---|
| Handle Style/Type: | Lever |
| Handle Clearance: | 2-7/16" (62 mm) |

### Spout

| | |
|---|---|
| Spout Reach: | 1-1/4" (32 mm) |

### Flow Rate

| | |
|---|---|
| Faucet Flow Rate: | 2 gpm (7.6 l/min) |

## Valves

| | |
|---|---|
| Included Valves: | Ceramic disc, Volume Control |

## Material

- Solid-brass construction with thick chrome plating for rough commercial applications

## Recommended Products/Accessories

- [object Object]23726 Drain treatment
- K-23723 Faucet cleaner

## Warranty


***See website for detailed warranty information.***

KOHLER® One-Year Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
11-12-2026 01:57 - US-CA

THE BOLD LOOK OF KOHLER.




## Installation

- Includes yoke for shelf-back installation

## Installation Notes

***Install this product according to the installation instructions.***

ADA compliant for handles only.
ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
11-12-2026 01:57 - US-CA

THE BOLD LOOK OF KOHLER