

Angled Patch Panel Accessories

APPLICATION

Angled Patch Panel Accessories include an Angled Management Bar, Front 1RU & 2RU Blank Angled Panels, 1RU Transitional Cover, and 1RU & 2RU Horizontal Cable Managers. Angled Patch Panel Accessories are designed to support maximum angled panel versatility. All Angled Patch Panel Accessories mount to standard 19-inch racks and cabinets.



SPECIFICATION

Angled Patch Panel Accessories shall include an angled rear management bar, 1RU & 2RU blank panels, 1RU transitional cover, and 1RU & 2RU patch-cord managers. The angled rear management bar shall be a rear mountable support bar and shall include 5-inch Velcro® Brand fasteners to manage angled patch panel cable terminations. Blank panels shall fill in unused rack units while maintaining an angled profile. The transitional cover shall provide a solution for transitioning from angled to standard flat patching or active equipment while protecting angled panel terminations. Angled horizontal cable organizers shall provide efficient patch-cord management for angled panels. Accessories shall be constructed of 14- or 16-gauge steel powder-coated black. Accessories shall be c(UL)us listed and comply with the mounting requirements established in EIA-310-E for 19-inch industry standard racks and cabinets.

FEATURES & BENEFITS

- Angled management bar facilitates cable organization
- Blanks panels are available in 1RU and 2RU sizes to fill in unused rack units
- Transitional cover protects panel termination field
- Horizontal Cable Managers, available in 1RU and 2RU versions, handle high-volume cord distribution from angled patch panels at the front of equipment racks, cabinet enclosures, and hinged wall-brackets

DESIGN CONSIDERATIONS

- Mounts on 19-inch equipment racks
- Angled rear manager mounts directly to rear rack rail or optional panel extension kit (Part no. E2X1F-BKT, recommended for cabinet installation)

STANDARDS COMPLIANCE

- c(UL)us
- EIA-310-E

MECHANICAL SPECIFICATIONS

Dimensions:	See page two
Materials:	14- or 16-gauge steel; black powder coat finish
Mounting:	19-inch rack mount
Temp. (Storage):	-40 °C to +70 °C (-40 °F to +158 °F)
Temp. (Operating):	-10 °C to +60 °C (+14 °F to +140 °F)
Humidity (Max.):	95% relative humidity, non-condensing

COUNTRY OF ORIGIN

49006-AMB: Taiwan
49254-Bxx: Mexico
49254-LPM: Taiwan



WARRANTY INFORMATION

For Leviton product warranties, go to [Leviton.com/ns/warranty](https://www.leviton.com/ns/warranty)



49254-Bxx, 49006-AMB, 49254-LPM

PRODUCT SPECIFICATIONS
49254-Bxx, 49006-AMB, 49254-LPM



49006-AMB





49254-BA1





49254-BA2





49254-BC1



49254-LPM



49254-BCM



49254-Bxx, 49006-AMB, 49254-LPM

PRODUCT SPECIFICATIONS
49254-Bxx, 49006-AMB, 49254-LPM



49254-Bxx, 49006-AMB, 49254-LPM

PART NUMBERS	
Description	Part No.
Front Blank Angled Panel, 1RU	49254-BA1
Front Blank Angled Panel, 2RU	49254-BA2
Angled Horizontal Cable Organizer, 1RU	49254-LPM
Angled Horizontal Cable Organizer, 2RU	49254-BCM
Angled Rear Management Bar	49006-AMB
Transitional Cover, 1RU	49254-BC1

For further support information, visit [Leviton.com/ns/support](https://leviton.com/ns/support)

Page 3 of 3

USA Network Solutions Headquarters +1 (800) 722 2082 infoUSA@leviton.com Leviton Cable (formerly Berk-Tek) +1 (800) 237 5835 infoUSA@leviton.com	Asia Pacific +852 3620 2602 infoAPAC@leviton.com	Canada +1 (800) 461 2002 infoCanada@leviton.com	Europe +44 (0) 1592 772124 infoEurope@leviton.com	Latin America MX: +52 (55) 2128 6286 LATAM: +52 (55) 2333 5963 infoLATAM@leviton.com	Middle East & Africa +971 (4) 247 9800 infoMEA@leviton.com
NETWORK SOLUTIONS PRODUCTS ARE AVAILABLE WORLDWIDE IN OVER 100 COUNTRIES. VISIT US ONLINE AT LEVITON.COM/NS TO LEARN MORE.					