



Part No.	Reference No.	Quantity	Description
0000157033~S	*		General Assembly 1
0000157034~S	*		General Assembly 2
0000157032~S	*		Model Number Description

Part No.	Reference No.	Quantity	Description
0000030641~P	*		General Assembly 1



Part No.	Reference No.	Quantity	Description
BRD05637	1	1	BOARD; DISPLAY
PNL33744	2	1	PANEL; FRONT CASE ASSEMBLY
BRK04748	3	1	BRACKET; AIR OUTLET
BUS02159	4	1	BUSHING; LEFT AXILE
PNL33745	5	1	PANEL; REAR CASE ASSEMBLY
HSE01922	6	1	HOSE; DRAINAGE HOSE
SUP06162	7	1	SUPPORT; COIL
EVP02922	8	1	EVAPORATOR; ASSEMBLY
FRM02298	9	1	FRAME; WALL MOUNTING
FAN05633	10	1	FAN; CROSS FLOW
MOT16743	11	1	MOTOR; FAN
COV05141	12	1	COVER; REFRIGERANT PIPE
PLU01245	13	1	PLUG; DRAIN PAN
MOT14616	14	1	MOTOR; STEPPER
LVR01187	15	1	LOUVER; SIDE GUIDE

Part No.	Reference No.	Quantity	Description
0000030643~P	*		General Assembly 2



Part No.	Reference No.	Quantity	Description
BOX04464	1	1	BOX; ELECTRIC ASSY
BUS02047	2	1	BUSHING; AXILE
WIR08173	3	1	WIRE; PLASTIC JUMPER CAP, NUMBER 2
BOX02991	4	1	BOX; ELECTRIC COVER SUB ASSEMBLY
CNT08675	5	1	CONTROL; REMOTE
LVR01249	6	1	LOUVER; GUIDE
LVR01246	7	1	LOUVER; SWING
SEN02447	8	1	SENSOR; TEMPERATURE
LVR01245	9	1	LOUVER; SWING

Part No.	Reference No.	Quantity	Description
0000030868~P	*		Model Number Description(Indoor Unit)

MODEL NUMBER DESCRIPTION		75015190	REV A
<i>Example Model Number:</i> M4MHS 17 12A 1 1NAA 1 - - - 5 - - - 10 - - - 15			
Digit 1 – Brand Name M = Ameristar / Run Tru		Digit 13 – Regional Markets Served N = North America Market	
Digit 2 – Refrigerant Type 4 = R10a		Digits 14 – Minor Design Sequence A = First Design Sequence	
Digit 3 – Unit Type M = Indoor		Digits 15 – Service Digit A = First Sequence	
Digit 4 – Functional Type H = Heat Pump C = Cooling Only L = Low Ambient			
Digit 5 – Unit Configuration M = Multi Port S = Single Pump W = High Wall			
Digits 6, 7 – Efficiency Tier (SEER) 17 = 17 SEER 25 = 25 SEER			
Digits 8, 9 – Nominal Capacity 09 = 0.75 ton 12 = 1.0 ton 18 = 1.5 ton 24 = 2 ton 30 = 2.5 ton 36 = 3 ton 42 = 3.5 ton			
Digits 10 – Major Development Change A = First Major Development Change			
Digit 11 – Electric Power Supply Characteristics 1 = 200/208-230V/1PH/60HZ 2 = 115V/1PH/60HZ			
Digit 12 – Refrigerant Ports 1 = 1 Port 2 = 2 Ports 3 = 3 Ports 4 = 4 Ports 5 = 5 Ports			
		1 of 1	

