

Master Flash®

STANDARD (Square Base)

3/2020

20
YEAR
WARRANTY



Aztec Washer Company: 13821 Danielson St., Poway, CA 92064 1-800 WASHER 5 (927-4375)
Ph: 858 513-4350 • Fax: 858 513-4305 • info@aztecwasher.com • www.aztecwasher.com

STANDARD Master Flash®

Design Excellence

Aztec's flexible design meets all roofing needs. Sleeve flexibility accommodates vibration and pipe movement caused by expansion contraction. The soft aluminum base easily conforms to most metal roof profiles.

Weather Protection


Made of EPDM or High Temp Silicone, these flashings are compounded specifically for maximum resistance to weathering due to ozone and ultraviolet light.

Base Flexibility

The base is designed to form a seal on most panel configurations and roof pitches regardless of pipe location.

Easy On-Site Customization

Fast, one piece construction allows for easy on-site installation in usually 5 Minutes.



STANDARD MINI Master Flash®

Smallest flashing available! Specifically Designed For Solar & Electrical Applications

Pipe Range: Closed-1" (0-25mm) • Overall Height: 3/4" (19mm) • Base: 2-1/4" (57mm)



STANDARD Master Flash®



PART NUMBER KEY

Base Size Color

SQ Mini BA

SQ051BA

Color Options

BN-Brown • WT-White
BA-Black • GA-Gray
DG-Dark Green • LG-Light Green
DB-Dark Blue • LB-Light Blue
BR-Bright Red • TC-Terra Cotta

SILICONE PART NUMBER KEY

Base Size Color

SQ #1 RA


SQ102RA

Silicone Color Options

RA-Red High Temp Silicone
GX-Gray High Temp Silicone


Name	Part #	Compound	Pipe Range	Base
Mini	SQ051BA	Black EPDM	Closed- 1" (0 - 25mm)	2 - 1/4" (57mm)
#1	SQ101BA	Black EPDM	Closed- 2-3/4" (0 - 70mm)	4-1/2" (114mm)
#2	SQ201BA	Black EPDM	5/8" - 4" (15 - 101mm)	6" (152mm)
#3	SQ301BA	Black EPDM	Closed - 5-3/4" (0 - 146mm)	8" (203mm)
#4	SQ401BA	Black EPDM	2-3/4" - 7" (70 - 177mm)	10" (254mm)
#5	SQ501BA	Black EPDM	4" - 8-1/4" (101 - 209mm)	11" (279mm)
#6	SQ601BA	Black EPDM	4-3/4" - 10" (121 - 254mm)	12" (304mm)
#7	SQ701BA	Black EPDM	6" - 11" (152 - 279mm)	14" (355mm)
#8	SQ801BA	Black EPDM	6-3/4" - 12" (171 - 304mm)	17" (431mm)
#8X-C	FF851BC	Black EPDM	Closed Top 0" - 15-1/2" (0-393mm)	19-1/2" (495mm)
#9	SQ901BA	Black EPDM	9-1/2" - 20-1/2" (241 - 520mm)	25" (635mm)
#9X	SQ901BX	Black EPDM	8"-20-1/2" (203-520mm)	25" (635mm)
Maxi Closed	SQ951BA-C	Black EPDM	Closed Top 0" - 28-1/2" (0 - 724mm)	34" (863mm)
Maxi Open	SQ951BA-O	Black EPDM	Open Top 12" - 28-1/2" (304 - 724mm)	34" (863mm)
Maxi XL	SQ961BA	Black EPDM	12" - 39-1/2" (304mm - 1meter)	44" (1.1m)

Mini Flashing Details




A-Top Opening	Closed
B-Cut to suit pipe size	Closed - 1" (0-25mm)
C-Base	2 - 1/4" (57mm)

#1 Flashing Details




A-Top Opening	Closed
B-Cut to suit pipe size	Closed- 2-3/4" (0-70mm)
C-Base	4-1/2" (114mm)

#2 Flashing Details




A-Top Opening	5/8" (15mm)
B-Cut to suit pipe size	5/8" - 4" (15 - 101mm)
C-Base	6" (152mm)

#3 Flashing Details




A-Top Opening	Closed
B-Cut to suit pipe size	Closed - 5-3/4" (0-146mm)
C-Base	8" (203mm)

#4 Flashing Details




A-Top Opening	2-3/4" (69mm)
B-Cut to suit pipe size	2-3/4" - 7" (70-177mm)
C-Base	10" (254mm)

#5 Flashing Details




A-Top Opening	4" (101mm)
B-Cut to suit pipe size	4"-8-1/4" (101-209mm)
C-Base	11" (279mm)

#6 Flashing Details




A-Top Opening	4-3/4" (120mm)
B-Cut to suit pipe size	4-3/4"-10" (120-254mm)
C-Base	12" (304mm)

#7 Flashing Details




A-Top Opening	6" (152mm)
B-Cut to suit pipe size	6" - 11" (152 - 279mm)
C-Base	14" (355mm)

#8 Flashing Details




A-Top Opening	6-3/4" (171mm)
B-Cut to suit pipe size	6-3/4"-12" (171-304mm)
C-Base	17" (431mm)

#8X-C Fix-A-Flash Flashing Details




A-Top Opening	Closed
B-Cut to suit pipe size	0"-15-1/2" (0-393mm)
C-Base	19-1/2" (495mm)

#9 Flashing Details




A-Top Opening	8" (203mm)
B-Cut to suit pipe size	9-1/2" - 20-1/2" (241 - 520mm)
C-Base	25" (635mm)

#9X Flashing Details




A-Top Opening	6-1/4" (158mm)
B-Cut to suit pipe size	8"-20-1/2" (203-520mm)
C-Base	25" (635mm)

Maxi-C Closed Flashing Details




A-Top Opening	Closed
B-Cut to suit pipe size	0"-28-1/2" (0-724mm)
C-Base	34" (863mm)

Maxi-O Open Flashing Details



A-Top Opening	12" (304mm)
B-Cut to suit pipe size	12"-28-1/2" (304-724mm)
C-Base	34" (863mm)

Maxi XL Flashing Details



A-Top Opening	12" (304mm)
B-Cut to suit pipe size	12" to 39-1/2" (304mm to 1m)
C-Base	44" (1.1m)

Other Quality Aztec Products



Master Seal®
Bonded Washers



P36
Saddle Washers



Rubber Washers



INTERNATIONAL HEADQUARTERS

13821 Danielson Street, Poway, CA 92064

1-800-WASHER 5 (927-4375) | Ph: 1-858-513-4350 | Fax: 1-858-513-4305 | E-mail: sales@aztecwasher.com

www.aztecwasher.com



AZTEC (UK) LTD.

Unit 55, Enterprise Trading Estate Hurst Lane, Pedmore Brierley Hill,
West Midlands DY5 1TX, United Kingdom

Tel: +44 1384 573444 | Fax: +44 1384 572029 | E-mail: sales@aztec-midlands.co.uk

www.aztecmaster-flash.co.uk



AZTEC INTERNATIONAL S.A.,

ul. Sowia 13C, 62-080 Tarnowo Podgórne, Poland

Tel: +48 61 867 60 84 | Fax: +48 61 867 34 44 | E-mail: sales@aztec-international.eu

www.aztec-international.eu • www.master-flash.eu



AZTEC MEXICO

Serv.y Maqs.Intls.SAdeCV.

Ph:+52 665 6542571 | Fax: +52 665 6550796 | E-mail: soto@smimx.net

www.aztecwasher.mx



AZTEC AUSTRALASIA

15 Mickle Street Dandenong South Victoria, 3175

Tel: +03 9768 2394 | Fax: +03 9768 2580 | E-mail: info@aztecau.com.au

www.aztecau.com.au

To see our complete product line go to: www.aztecwasher.com



Installation Videos:

www.aztecwasher.com/installationvideos/



Master Flash®, Universal Master Flash®, Multi-Flash®, Master Flash® and Master Seal® are trademarks of Aztec Washer Company, Inc.

For Technical Support Call: 1-800-WASHER 5 (927-4375) (Outside California Only), California Callers: (858) 513-4350

Master Flash® and Master Seal® are registered trademarks of Aztec Washer Company, Inc., 3/2020 Aztec Washer Company