

Product data sheet

Specifications



blanking corner plate thermoplastic for PLM64, 75 and 86

NSYCEPLMCG

Main

Range	Thalassa
Accessory / separate part category	Aesthetic Accessory
Product or component type	Blanking plate
Range compatibility	Thalassa Thalassa PLM 64 Thalassa PLM 75 Thalassa PLM 86
Application	Multi-purpose
Mounting location	Rear of enclosure
Device composition	4 blanking plate

Complementary

Quantity per set	Set of 1
Material	Thermoplastic
Colour	Grey (RAL 7035)
Fixing mode	Clipped
Length	250 mm
Height	647 mm
Width	436 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	18.000 cm
Package 1 Length	28.500 cm
Package 1 Weight	100.000 g
Unit Type of Package 2	PAM
Number of Units in Package 2	750
Package 2 Height	180.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	280.000 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

Pro-active compliance
(Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No

Image of product in real life situation

