

# Product data sheet

Specifications



## Insulating mounting plate for enclosure H400xW300mm made of polyester

NSYMPP43

### Main

|                                    |                                                                         |
|------------------------------------|-------------------------------------------------------------------------|
| Range                              | PanelSeT                                                                |
| Accessory / separate part category | Mounting accessory                                                      |
| Product or component type          | Mounting plate                                                          |
| Device application                 | Multi-purpose                                                           |
| Enclosure nominal dimensions       | -                                                                       |
| Mounting location                  | Direct fixing on backstuds<br>Step slide                                |
| Mounting plate description         | Plain                                                                   |
| Range compatibility                | PanelSeT PanelSeT S3D<br>PanelSeT PanelSeT CRN<br>Thalassa Thalassa PLM |
| Quantity per set                   | Set of 1                                                                |
| Material                           | Fibreglass reinforced polyester                                         |
| Colour                             | Grey (RAL 7035)                                                         |

### Complementary

|                            |                                                           |
|----------------------------|-----------------------------------------------------------|
| Fixing mode                | Screwed on backstuds - screw type M8<br>By fixing element |
| Permanent permissible load | 30 kg                                                     |
| Height                     | Nominal: 325 mm<br>Enclosure nominal dimension: 400 mm    |
| Width                      | Nominal: 250 mm<br>Enclosure nominal dimension: 300 mm    |
| Thickness                  | 4 mm                                                      |
| Net weight                 | 7 kg                                                      |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 0.500 cm  |
| Package 1 Width              | 25.500 cm |
| Package 1 Length             | 36.500 cm |
| Package 1 Weight             | 666.000 g |

### Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty

18 months

# Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

## Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance  
(Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

## Use Again

### Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No