

Product data sheet

Specifications



set of 4 stainless steel wall mounting lugs for PLM3025 to 108

NSYPFXPLM

Main

Range	Thalassa
Accessory / separate part category	Fixing accessory
Product or component type	Wall fixing support
Device application	Multi-purpose
Enclosure nominal dimensions	-
Mounting location	Top and bottom, on rear of the enclosure
Range compatibility	Thalassa Thalassa PLM
Device composition	fixing screws 4 lug

Complementary

Material	Stainless steel
Fixing mode	Screwed - from the outside location
Permanent permissible load	100 kg horizontal position 200 kg vertical position
Height	40 mm
Width	155 mm
Depth	80 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	8.000 cm
Package 1 Length	15.000 cm
Package 1 Weight	377.500 g
Unit Type of Package 2	S04
Number of Units in Package 2	50
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	19.241 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 3	P12
Number of Units in Package 3	200
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	88.964 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance
(Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No

Image of product / Alternate images

Alternative




Image of product in real life situation

