

Product data sheet

Specifications



Metallic mounting plate for PLA enclosure H1250xW1250mm

NSYPMM1212

Main

Range	Thalassa
Accessory / separate part category	Mounting accessory
Product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	-
Mounting location	Step slide Back inserts
Mounting plate description	Plain
Range compatibility	Thalassa Thalassa PLA Thalassa Thalassa PHD
Device composition	1 mounting plate
Material	Galvanised steel

Complementary

Fixing mode	By screws - screw type M8 - on back inserts location
Permanent permissible load	150 kg
Height	Nominal: 1250 mm Real: 1140 mm
Width	Nominal: 1250 mm Real: 1125 mm
Depth	Real : 125 mm
Thickness	2.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	113.000 cm
Package 1 Width	112.500 cm
Package 1 Length	2.000 cm
Package 1 Weight	24.500 kg
Unit Type of Package 2	P2M
Number of Units in Package 2	20
Package 2 Height	34.000 cm

Package 2 Width	200.000 cm
-----------------	------------

Package 2 Length	120.000 cm
------------------	------------

Package 2 Weight	508.000 kg
------------------	------------

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#)

**Pro-active compliance
(Product out of EU RoHS legal scope)**

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

Use Again

Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**