

LEED Green Building Submittal Sheet- Plumbers Putty and Epoxy Putty











	Description of Section's Relevance	Plumber's Putty	Epoxy Putty
Product Offerings	Various products offered by Oatey SCS® that apply to information as follows.	 Oatey® Plumber's Putty Oatey® Stain-Free Plumber's Putty Hercules® Sta Put® Putty Hercules® Sta Put® Ultra Putty 	 Oatey® Fix-It® Stick Epoxy Putty Hercules® Pro Poxy® 20 Hercules® Plastic Poxy Hercules® ProPoxy® Triple Play Putty Harvey Plumber's Epoxy Putty
Low Emitting Materials- VOC Emission Limits	Strictest VOC regulatory limit in which governs the above products.	The strictest regulatory limit for VOC emissions regarding plumber's putty products is currently 250 g/L.	The strictest regulatory limit for VOC emissions regarding epoxy putty products is currently 3.0% by weight.
Low Emitting Materials- Product VOC Content	Best estimate of the actual VOC content within product in g/L or % by weight. Products with low VOC content may assist in earning LEED credit and improving air quality.	Oatey Plumber's Putty- 10 g/L Oatey Stain-Free Putty- 95 g/L Hercules Sta Put®- 10 g/L Hercules Sta Put® Ultra- 95 g/L	All Epoxy Putty compounds have a maximum VOC content of 0.1% by weight.
Building Product Disclosure- Recycled Content of Materials	Recycled content used within product that may assist in earning LEED points.	There is no recycled content present in these products.	There is no recycled content present in these products.
PBT¹ Source Reduction-Lead, Cadmium, Copper	Lead, Cadmium, and Copper content for use in determining LEED credit for PBT reduction.	There is no lead, cadmium, or copper present in these products.	Copper Poxy portion of Hercules® ProPoxy® Triple Play Putty contains between 1% and 5% copper powder by weight.

Red List Content	Any red list materials as defined by the Living Building Challenge (LBC).	These products contain no materials present on the red list.	These products contain Bisphenol A, which falls under the red list for alkylphenols.
Conflict Mineral Content	Any materials within the product that may be from the DRC (Democratic Republic of Congo).	No conflict minerals present in these products.	No conflict minerals present in these products.
Hazardous Substance Content (ROHS)	Any substances contained within the product reportable per ROHS guidelines.	No substances present which are reportable per ROHS guidelines.	No substances present which are reportable per ROHS guidelines.
Location(s) Where Manufactured	Manufacturing location of the product pertains to its carbon footprint. If jobsite area is within 500 straight-line miles ² of this location, LEED credit may be earned.	Cleveland, OhioOmaha, Nebraska	Chester, Pennsylvania
Additional Information	Additional information for these products pertains to rapidly renewable resources content. Use of products with these resources may help in gaining rapidly renewable material LEED credit.	Sta-Put contains a minimum of 5% castor oil, which is a rapidly renewable ingredient.	There is no additional information for these products.

¹PBT's are known as Persistent Bioaccumulative Toxins.

²For use in determining distance between jobsite and manufacturing location in straight-line miles, use tool provided by this link http://www.daftlogic.com/projects-google-maps-distance-calculator.htm.

^{*}All information contained in this document is gathered from reliable sources believed to be up-to-date and accurate to the best of our knowledge.