



RL32

475393 LE32H1; 475395 LE32H5;
475397 LE32H55; 435399 LE32HQ
Page 1 of 7

MSDS Preparation Date (mm/dd/yyyy): 06/05/2012

MATERIAL SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product identifier : **RL32**
Product Code(s) : 475393 LE32H1; 475395 LE32H5; 475397 LE32H55; 435399 LE32HQ
Product Use : Professional Use Only: Lubricant
Chemical Family : Mixture.
Supplier's name and address: **Manufacturer's name and address:**

Parker Hannifin Corporation - Sporlan Division

Refer to Supplier

206 Lange Drive
Washington, MO, U.S.A.
63090

Information Telephone # : (636) 239-1111
24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).

SECTION 2 - HAZARDS IDENTIFICATION

Classification : WHMIS information: This product is not a WHMIS controlled product in Canada. It does not meet any of the criteria for a controlled product provided in Part IV of the Controlled Products Regulations (CPR).

OSHA Classification: This product is considered to be a non-hazardous substance under OSHA standard 29 CFR 1910.1200.

Emergency Overview : Straw coloured liquid. Mild odour.
Caution! Prolonged or repeated exposure may cause skin irritation. Inhalation of vapours in high concentration may cause irritation of respiratory system. May cause mucous membrane irritation. Ingestion will likely cause irritation to the throat and stomach. May cause mild skin irritation.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

Inhalation : Inhalation of vapours in high concentration may cause irritation of respiratory system.

Skin : May cause mild skin irritation.

Eyes : None expected, when used as intended.

Ingestion : May cause irritation of mouth, throat, and stomach.

Effects of long-term (chronic) exposure

: Prolonged exposure may irritate the skin and cause dermatitis.

Carcinogenic status : See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards : See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects : See ECOLOGICAL INFORMATION, Section 12.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	<u>CAS #</u>	<u>Wt.%</u>
Polyol Ester	N/Av	> 99



RL32

475393 LE32H1; 475395 LE32H5;
475397 LE32H55; 435399 LE32HQ

MSDS Preparation Date (mm/dd/yyyy): 06/05/2012

Page 2 of 7

Antioxidant	N/Av	< 1
-------------	------	-----

SECTION 4 - FIRST AID MEASURES

- Inhalation** : Immediately remove person to fresh air. If irritation or symptoms develop, seek medical attention.
- Skin contact** : Wash contaminated area with soap and lukewarm (not hot), gently running water. If irritation or symptoms develop, seek medical attention. Wash/Decontaminate removed clothing before reuse.
- Eye contact** : Immediately flush eyes with running water for at least 15 minutes. If irritation or symptoms develop, seek medical attention.
- Ingestion** : Do not induce vomiting. If patient is fully conscious, give two glasses of water. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.
- Notes For Physician** : Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability

- : Not flammable under normal conditions of use.

Flammability classification (OSHA 29 CFR 1910.1200)

- : Non-flammable.

Oxidizing properties

- : None known.

Explosion data: Sensitivity to mechanical impact / static discharge

- : Not expected to be sensitive to mechanical impact or static discharge.

Suitable extinguishing media

- : Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Special fire-fighting procedures/equipment

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. A full-body chemical resistant suit should be worn. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

Hazardous combustion products

- : None known or reported by the manufacturer.

NFPA Rating

- 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
: *Health:* 1 *Flammability:* 1 *Instability:* 0 *Special Hazards:* None.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Restrict access to area until completion of clean-up. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.
- Environmental precautions** : Wash residue from spill area with water containing detergent and flush to a sewer serviced by a permitted wastewater treatment facility.
- Spill response/cleanup** : Ventilate area of release. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.
- Prohibited materials** : None known or reported by the manufacturer.
- Special spill response procedures** : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): None reportable.

SECTION 7 - HANDLING AND STORAGE



RL32

475393 LE32H1; 475395 LE32H5;
 475397 LE32H55; 435399 LE32HQ
 Page 3 of 7

MSDS Preparation Date (mm/dd/yyyy): 06/05/2012

- Safe Handling procedures** : Use in a well-ventilated area. Avoid contact with incompatible materials. Wear chemically resistant protective equipment during handling. Do not inhale. Do not ingest. Avoid contact with skin, eyes and clothing. Label containers appropriately. Wash thoroughly after handling. Keep containers closed when not in use.
- Storage requirements** : Store in original container. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.
- Incompatible materials** : Strong oxidizing agents.
- Special packaging materials** : Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

<u>Exposure Limits</u>				
<u>Ingredients</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Polyol Ester	N/Av	N/Av	N/Av	N/Av
Antioxidant	N/Av	N/Av	N/Av	N/Av

Ventilation and engineering measures

- : Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapours below their respective threshold limit value.

Respiratory protection

- : Not required in adequately ventilated areas. If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised.

Skin protection

- : Impervious gloves must be worn when using this product. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye / face protection

- : Chemical splash goggles are recommended.

Other protective equipment

- : An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

General hygiene considerations

- : Do not breathe fumes, mists or vapours. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|--|--|
| Physical state : liquid | Appearance : Straw |
| Odour : Mild odour. | Odour threshold : N/Av |
| pH : N/Av | |
| Boiling point : N/Av | Specific gravity : N/Av |
| Melting/Freezing point : N/Av | Coefficient of water/oil distribution : N/Av |
| Vapour pressure (mmHg @ 20° C / 68° F) : N/Av | Solubility in water : Insoluble. |
| Vapour density (Air = 1) : N/Av | Evaporation rate (n-Butyl acetate = 1) : N/Av |
| Volatile organic Compounds (VOC's) : N/Av | Volatiles (% by weight) : N/Av |
| Flash point : 270°C (518°F) | |
| Flash point Method : open cup | Auto-ignition temperature : 410°C (770°F) |



RL32

475393 LE32H1; 475395 LE32H5;
 475397 LE32H55; 435399 LE32HQ
 Page 4 of 7

MSDS Preparation Date (mm/dd/yyyy): 06/05/2012

Lower flammable limit (% by vol.)	: N/Ap	Upper flammable limit (% by vol.)	: N/Ap
Flame Projection Length	: N/Ap	Flashback observed	: N/Ap
Viscosity	: 33.7 at 40°C 5.9 at 100°C		
Absolute pressure of container	: N/Ap		

Section 10: Stability And Reactivity

Stability and reactivity : Stable under the recommended storage and handling conditions prescribed.
Hazardous polymerization : Hazardous polymerisation does not occur.
Conditions to avoid : Avoid heat and open flame. Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible materials.
Materials To Avoid And Incompatibility : Strong oxidizing agents.
Hazardous decomposition products : Refer also to hazardous combustion products, Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system and digestive system.
Routes of exposure : *Inhalation:* YES *Skin Absorption:* NO *Skin & Eyes:* YES *Ingestion:* NO
Toxicological data : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Ingredients</u>	<u>LC₅₀(4hr)</u> <u>inh, rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Polyol Ester	N/Av	N/Av	N/Av
Antioxidant	N/Av	N/Av	N/Av

Carcinogenic status : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.
Reproductive effects : Not expected to have other reproductive effects.
Teratogenicity : Not expected to be a teratogen.
Mutagenicity : Not expected to be mutagenic in humans.
Epidemiology : Not available.
Sensitization to material : Not expected to be a skin or respiratory sensitizer.
Synergistic materials : N/Av
Irritancy : Eyes, skin, respiratory system and digestive system.
other important hazards : None known or reported by the manufacturer.
Conditions aggravated by overexposure : Pre-existing skin, eye and respiratory disorders.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity : No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.
Mobility : No data is available on the product itself.
Persistence : The substance has the potential for biodegradation in the marine environment (OECD 306). The biodegradation of the product (OECD 301B) is 63.1% after 28 days. This product is partially biodegradable in water. This product is partially removed in biological treatment process.
Bioaccumulation potential : No data is available on the product itself.
Other Adverse Environmental effects



RL32

475393 LE32H1; 475395 LE32H5;
 475397 LE32H55; 435399 LE32HQ
 Page 5 of 7

MSDS Preparation Date (mm/dd/yyyy): 06/05/2012

: No data is available on the product itself.

SECTION 13 - DISPOSAL CONSIDERATIONS

- Handling for Disposal** : Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous.
- Methods of Disposal** : Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.
- RCRA** : For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14: TRANSPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None.	Not regulated.	Not regulated	none	
TDG Additional information	None.				
49CFR/DOT	None.	Not regulated.	Not regulated	none	
49CFR/DOT Additional information	None.				

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

US CERCLA Reportable quantity (RQ): None reported.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Acute Health Hazard Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This material is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above de minimus concentrations.

US State Right to Know Laws:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

Other U.S. State "Right to Know" Lists: None of the components of this product are specifically listed on any State 'Right to Know' lists.

International Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product.



RL32

475393 LE32H1; 475395 LE32H5;
475397 LE32H55; 435399 LE32HQ
Page 6 of 7

MSDS Preparation Date (mm/dd/yyyy): 06/05/2012

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SECTION 16 - OTHER INFORMATION

HMIS Rating : * - Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
Health: 1 *Flammability:* 1 *Reactivity:* 0

Legend : ACGIH: American Conference of Governmental Industrial Hygienists
CA: California
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CFR: Code of Federal Regulations
DOT: Department of Transportation
EPA: Environmental Protection Agency
HMIS: Hazardous Materials Identification System
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
Inh: Inhalation
LC: Lethal Concentration
LD: Lethal Dose
MA: Massachusetts
MN: Minnesota
MSHA: Mine Safety and Health Administration
N/Ap: Not Applicable
N/Av: Not Available
NFPA: National Fire Protection Association
NIOSH: National Institute of Occupational Safety and Health
NJ: New Jersey
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PA: Pennsylvania
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RI: Rhode Island
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2012.
2. International Agency for Research on Cancer Monographs, searched 2012.
3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2012 (Chempendium and RTECs).
4. Material Safety Data Sheet from manufacturer.
5. US EPA Title III List of Lists, October 2006 version.
6. California Proposition 65 List - March 16, 2012 version.





Parker Hannifin Corporation
Sporlan Division
206 Lange Drive
Washington, MO 63090
U.S.A.

RL32

475393 LE32H1; 475395 LE32H5;
475397 LE32H55; 435399 LE32HQ
Page 7 of 7

MSDS Preparation Date (mm/dd/yyyy): 06/05/2012

<p>Prepared for: Parker Hannifin Corporation - Sporlan Division 206 Lange Drive, Washington, MO, U.S.A. 63090 Telephone: (636) 239-1111 www.parker.com Direct all enquiries to: Parker Hannifin Corp. - Sporlan Division.</p>	
<p>Prepared by: ICC The Compliance Center Inc. http://www.thecompliancecenter.com</p>	

DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Parker Hannifin Corp and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corp expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corp.

Preparation Date (mm/dd/yyyy)

: 06/05/2012

END OF DOCUMENT