

Lineset Protection

Fortress® Lineset Ducting

Slimduct® Lineset Ducting

FORTRESS[®]

LINESET COVER SYSTEM

SLIMDUCT[®]

LINESET COVER SYSTEM

Architectural grade polymer



- Professional quality.
- Quick assembly.
- Professional appearance.



Fortress



Slimduct

Both Fortress and Slimduct are now available in convenient kit form. Kit includes duct and fittings for typical mini-split installation.



lineset ducting. Simple, rugged protection.



CHOOSE FORTRESS OR SLIMDUCT QUALITY



Fortress[®] SATIN FINISH

Moderate price point. For mini-splits, high velocity and conventional split air conditioning systems.

Protects lineset, wiring and drain hose from weather, vandalism, pet and pest damage.

Snap together ducting easily accessed for repairs or replacement of the lineset.

UV and weather resistant. Will remain attractive and provide protection for many years.

Stylish. Compliments any residential or commercial building. Paintable. Brush, spray or roller to match or compliment custom colors.*

Two sizes. Duct & fittings are available in both LD92 (3½"), LD122 (4½")

Four color options white, ivory, brown, gray

8ft duct lengths. 6 lengths per box

17 fittings. Assures complete flexibility of installation

1 year warranty.



Slimduct[®] GLOSS FINISH

Heavy duty grade. For mini-splits, high velocity and conventional ducted air conditioning systems. Protects lineset, wiring and drain hose from weather, vandalism, pet and pest damage.

Snap together ducting easily accessed for repairs or replacement of the lineset.

UV, weather and fire resistant. Temperature range from -4°F to 140°F. Will remain attractive and provide protection for many years.

Stylish. Compliments any residential or commercial building.

Three sizes. Duct & fittings are available in SD77 (2¾"), SD100 (3¾"), SD140 (5½")

Three color options. white, ivory, brown

78 in duct lengths. 5 lengths per box

15 fittings. Assures complete flexibility of installation

1 year warranty.



















*Follow paint manufacturers recommendations for vinyl products. NOTE: Dark colors fade in sunlight sooner than lighter colors.

FORTRESS® LINESET COVER ORDERING INFORMATION


Longer 8ft ducting minimizes joints and reduces waste.

Paintable. Brush, spray or roller to match or compliment custom colors. Follow paint manufacturers recommendations for vinyl products.



	MODEL	SIZE	DESCRIPTION	L	W	H
	LD92	3 1/2	Ducting	96"	3 5/8"	2 5/8"
	LD122	4 1/2	Ducting	96"	4 5/8"	3 1/4"
	LJ92	3 1/2	Coupler	2 5/8"	3 7/8"	2 3/4"
	LJ122	4 1/2	Coupler	2 5/8"	4 7/8"	3 1/2"
	LW92	3 1/2	Wall Inlet	9"	4 3/8"	3 1/8"
	LW122	4 1/2	Wall Inlet	9 3/4"	5 3/8"	4"
	LEN92	3 1/2	End Fitting	4 1/4"	3 7/8"	2 3/4"
	LEN122	4 1/2	End Fitting	4 1/4"	4 7/8"	3 1/2"
	LK92	3 1/2	90° Flat Ell	5 3/4"	5 3/4"	2 3/4"
	LK122	4 1/2	90° Flat Ell	6 1/4"	6 1/2"	3 1/2"
<i>Above fittings now also available in LDK Kit pack (shown right)</i>						
	LP92	3 1/2	Soffit Inlet	3 1/2"	6"	4 7/8"
	LP122	4 1/2	Soffit Inlet	3 1/2"	7"	5 1/2"
	LKF92	3 1/2	45° Flat Ell	4 7/8"	4 7/8"	2 3/4"
	LKF122	4 1/2	45° Flat Ell	6 1/2"	6 1/2"	3 1/2"
	LCI92	3 1/2	90° Inside Vertical Ell	5 1/4"	5 1/4"	2 3/4"
	LCI122	4 1/2	90° Inside Vertical Ell	5 1/4"	5 1/4"	3 1/2"
	LCO92	3 1/2	90° Outside Vertical Ell	4 1/2"	4 1/2"	2 3/4"
	LCO122	4 1/2	90° Outside Vertical Ell	5 1/4"	5 1/4"	3 1/2"
	LCFI92	3 1/2	45° Inside Vertical Ell	4 3/4"	3 7/8"	2 3/4"
	LCFI122	4 1/2	45° Inside Vertical Ell	6 1/4"	4 7/8"	3 1/2"
	LCFO92	3 1/2	45° Outside Vertical Ell	4 5/8"	3 7/8"	2 3/4"
	LCFO122	4 1/2	45° Outside Vertical Ell	5 1/4"	4 7/8"	3 1/2"
	LT92	3 1/2	Tee	7 3/4"	5 3/4"	2 3/4"
	LT122	4 1/2	Tee	7 3/4"	6 1/2"	3 1/2"
	LDR12292	3 1/2 - 4 1/2	Reducer	3"	4 7/8"	3 7/8"
	LKS92	3 1/2	90° Sweep Ell	13"	13"	2 3/4"
	LKS122	4 1/2	90° Sweep Ell	14"	14"	3 1/2"
	LF92	3 1/2	Flexible Ell	40"	3 1/2"	2 1/2"
	LF122	4 1/2	Flexible Ell	40"	4 1/2"	3 1/4"
	LFJ92	3 1/2	Flexible Adaptor	3 1/8"	3 7/8"	2 3/4"
	LFJ122	4 1/2	Flexible Adaptor	3 1/8"	4 7/8"	3 1/2"
	LWF92	3 1/2	Wall Flange	5"	6"	2 1/8"
	LWF122	4 1/2	Wall Flange	6 1/2"	7 3/4"	2 5/8"
	LDC	-	Twistlock Lineset Duct Clip	-	-	-

WHITE		IVORY		BROWN		GRAY	
Order code / Ref No	Qty	Order code / Ref No	Qty	Order code / Ref No	Qty	Order code / Ref No	Qty
84004 (LD92W)	6	84024 (LD92I)	6	84064 (LD92B)	6	84044 (LD92G)	6
84104 (LD122W)	6	84124 (LD122I)	6	84164 (LD122B)	6	84144 (LD122G)	6
84010 (LJ92W)	6	84030 (LJ92I)	6	84270 (LJ92B)	1	84250 (LJ92G)	1
84110 (LJ122W)	6	84130 (LJ122I)	6	84370 (LJ122B)	1	84350 (LJ122G)	1
84016 (LW92W)	6	84036 (LW92I)	6	84276 (LW92B)	1	84256 (LW92G)	1
84116 (LW122W)	6	84136 (LW122I)	6	84376 (LW122B)	1	84356 (LW122G)	1
84007 (LEN92W)	6	84027 (LEN92I)	6	84267 (LEN92B)	1	84247 (LEN92G)	1
84107 (LEN122W)	6	84127 (LEN122I)	6	84367 (LEN122B)	1	84347 (LEN122G)	1
84011 (LK92W)	6	84031 (LK92I)	6	84271 (LK92B)	1	84251 (LK92G)	1
84111 (LK122W)	6	84131 (LK122I)	6	84371 (LK122B)	1	84351 (LK122G)	1
84014 (LP92W)	6	84034 (LP92I)	6	84274 (LP92B)	1	84254 (LP92G)	1
84114 (LP122W)	6	84134 (LP122I)	6	84374 (LP122B)	1	84354 (LP122G)	1
84012 (LKF92W)	6	84032 (LKF92I)	6	84272 (LKF92B)	1	84252 (LKF92G)	1
84112 (LKF122W)	6	84132 (LKF122I)	6	84372 (LKF122B)	1	84352 (LKF122G)	1
84002 (LCI92W)	6	84022 (LCI92I)	6	84262 (LCI92B)	1	84242 (LCI92G)	1
84102 (LCI122W)	6	84122 (LCI122I)	6	84362 (LCI122B)	1	84342 (LCI122G)	1
84003 (LCO92W)	6	84023 (LCO92I)	6	84263 (LCO92B)	1	84243 (LCO92G)	1
84103 (LCO122W)	6	84123 (LCO122I)	6	84363 (LCO122B)	1	84343 (LCO122G)	1
84000 (LCFI92W)	6	84020 (LCFI92I)	6	84260 (LCFI92B)	1	84240 (LCFI92G)	1
84100 (LCFI122W)	6	84120 (LCFI122I)	6	84360 (LCFI122B)	1	84340 (LCFI122G)	1
84001 (LCFO92W)	6	84021 (LCFO92I)	6	84261 (LCFO92B)	1	84241 (LCFO92G)	1
84101 (LCFO122W)	6	84121 (LCFO122I)	6	84361 (LCFO122B)	1	84341 (LCFO122G)	1
84015 (LT92W)	6	84035 (LT92I)	6	84275 (LT92B)	1	84255 (LT92G)	1
84115 (LT122W)	6	84135 (LT122I)	6	84375 (LT122B)	1	84355 (LT122G)	1
84106 (LDR12292W)	6	84126 (LDR12292I)	6	84366 (LDR12292B)	1	84346 (LDR12292G)	1
84013 (LKS92W)	6	84033 (LKS92I)	6	84273 (LKS92B)	1	84253 (LKS92G)	1
84113 (LKS122W)	6	84133 (LKS122I)	6	84373 (LKS122B)	1	84353 (LKS122G)	1
84008 (LF92W)	6	84028 (LF92I)	6	84268 (LF92B)	1	84248 (LF92G)	1
84108 (LF122W)	6	84128 (LF122I)	6	84368 (LF122B)	1	84348 (LF122G)	1
84009 (LFJ92W)	6	84029 (LFJ92I)	6	84269 (LFJ92B)	1	84249 (LFJ92G)	1
84109 (LFJ122W)	6	84129 (LFJ122I)	6	84369 (LFJ122B)	1	84349 (LFJ122G)	1
84017 (LWF92W)	6	84037 (LWF92I)	6	84277 (LWF92B)	1	84257 (LWF92G)	1
84117 (LWF122W)	6	84137 (LWF122I)	6	84377 (LWF122B)	1	84357 (LWF122G)	1
84099 (LDC) (12 pk 50 bags)							



Technical Information

Weather resistant PVC,
UV stabilized & fire resistant.
Tested to over 2,000 hours.
Temperature Range
-4° F to 140° F



12' Wall Duct Kit

Kit includes 12' of duct and all essential fittings to hide and protect the lineset for a typical A/C installation. Available in white, ivory, gray and brown

LDK Kit includes:

- LD - Ducting 4' Long (3)
- LJ - Couplers (2)
- LW - Wall Inlet (1)
- LEN - End Fitting (1)
- LK- 90° Flat Ell (1)


Fortress Kits:

- 84045 LDK92G - Gray 3 1/2
- 84145 LDK122G - Gray 4 1/2
- 84065 LDK92B - Brown 3 1/2
- 84165 LDK122B - Brown 4 1/2
- 84005 LDK92W - White 3 1/2
- 84105 LDK122W - White 4 1/2
- 84025 LDK92I - Ivory 3 1/2
- 84125 LDK122I - Ivory 4 1/2



Ducting and fittings packaged 6 per box helps minimize inventory

SLIMDUCT® LINESET COVER ORDERING INFORMATION



Technical Information
 Weather resistant PVC,
 UV stabilized & fire resistant.
 Tested to over 2,000 hours.
Temperature Range
 -4° F to 140° F



NEW!
13' Wall Duct Kit
 Kit includes 13' of duct and all essential fittings to hide and protect the lineset for a typical A/C installation. Available in white only.

SDK Kit includes:
 SD - Ducting 39' Long (4)
 SJ - Couplers (2)
 SW - Wall Inlet (1)
 SEN - End Fitting (1)
 SK- 90° Flat Ell (1)

Slimduct Kits:
 85005 SDK77W - 2¾" White kit
 85105 SDK100W - 3¾" White kit

*Duct is packaged
 5 per box.
 Fittings are packed
 5 or 10 per box.*

Description	L	W	H	RS# (ref. #) White	RS# (ref. #) Ivory	RS# (ref. #) Brown
SD Slimduct 78" L - 77	78"	2½"	2¾"	85004 (SD-77-W)	85024 (SD-77-I)	85064 (SD-77-B)
SD Slimduct 78" L - 100	78"	4"	2¾"	85104 (SD-100-W)	85124 (SD-100-I)	85164 (SD-100-B)
SD Slimduct 78" L - 140	78"	5⅞"	3¼"	85204 (SD-140-W)	85224 (SD-140-I)	85264 (SD-140-B)
SJ coupler 77	2"	3⅜"	2⅝"	86010 (SJ-77-W)	86030 (SJ-77-I)	85370 (SJ-77-B)
SJ coupler 100	2½"	4¼"	3"	86110 (SJ-100-W)	86130 (SJ-100-I)	85470 (SJ-100-B)
SJ coupler 140	3½"	5 ¾"	3 ⅜"	86210 (SJ-140-W)	86230 (SJ-140-I)	85570 (SJ-140-B)
SW wall inlet 77	8"	4⅞"	3"	86016 (SW-77-W)	86036 (SW-77-I)	85376 (SW-77-B)
SW wall inlet 100	8¾"	5"	3⅜"	86116 (SW-100-W)	86136 (SW-100-I)	85476 (SW-100-B)
SW wall inlet 140	11"	6½"	3⅞"	85216 (SW-140-W)	85236 (SW-140-I)	85576 (SW-140-B)
SP soffit inlet 77	5⅞"	4⅜"	5⅞"	85014 (SP-77-W)	85034 (SP-77-I)	85374 (SP-77-B)
SP soffit inlet 100	5⅜"	5⅜"	5⅜"	86114 (SP-100-W)	86134 (SP-100-I)	85474 (SP-100-B)
SP soffit inlet 140	5¾"	6⅞"	5¾"	85214 (SP-140-W)	85234 (SP-140-I)	85574 (SP-140-B)
SEN end fitting 77	1¾"	3¼"	2⅝"	86007 (SE/SEN-77-W)	86027 (SE/SEN-77-I)	85367 (SE/SEN-77-B)
SEN end fitting 100	4½"	4¼"	3"	86107 (SEN-100-W)	86127 (SEN-100-I)	85467 (SEN-100-B)
SEN end fitting 140	6"	5¾"	3⅞"	86207 (SEN-140-W)	86227 (SEN-140-I)	85567 (SEN-140-B)
SK 90° flat ELL 77	5"	2⅝"	5"	86011 (SK-77-W)	86031 (SK-77-I)	85371 (SK-77-B)
SK 90° flat ELL 100	6"	3"	6"	86111 (SK-100-W)	86131 (SK-100-I)	85471 (SK-100-B)
SK 90° flat ELL 140	7½"	3⅜"	7½"	85211 (SK-140-W)	85231 (SK-140-I)	85571 (SK-140-B)
SKF 45° flat ELL 77	4½"	3¼"	2⅝"	85012 (SKF-77-W)	85032 (SKF-77-I)	85372 (SKF-77-B)
SKF 45° flat ELL 100	5¼"	4¼"	3"	86112 (SKF-100-W)	86132 (SKF-100-I)	85472 (SKF-100-B)
SKF 45° flat ELL 140	6¼"	5¾"	3⅞"	85212 (SKF-140-W)	85232 (SKF-140-I)	85572 (SKF-140-B)
SC 90° vertical ELL 77	4"	3 ⅞"	4"	86002 (SC-77-W)	86022 (SC-77-I)	85362 (SC-77-B)
SC 90° vertical ELL 100	4⅞"	4¼"	4⅞"	86102 (SC-100-W)	86122 (SC-100-I)	85462 (SC-100-B)
SC 90° vertical ELL 140	5"	5¾"	5"	85202 (SC-140-W)	85222 (SC-140-I)	85562 (SC-140-B)
SCF 45° vertical ELL 77	4⅞"	3¼"	2⅝"	85000 (SCF-77-W)	85020 (SCF-77-I)	85360 (SCF-77-B)
SCF 45° vertical ELL 100	4⅜"	4⅜"	3"	86100 (SCF-100-W)	86120 (SCF-100-I)	85460 (SCF-100-B)
SCF 45° vertical ELL 140	4⅞"	5⅜"	3⅞"	85200 (SCF-140-W)	85220 (SCF-140-I)	85560 (SCF-140-B)
ST TEE 77	6½"	4⅞"	2⅝"	86015 (ST-77-W)	86035 (ST-77-I)	85375 (ST-77-B)
ST TEE 100	7⅞"	6"	3"	86115 (ST-100-W)	86135 (ST-100-I)	85475 (ST-100-B)
ST TEE 140	9⅞"	7⅞"	3"	85215 (ST-140-W)	85235 (ST-140-I)	85575 (ST-140-B)
SDR reducer 100-77	2½"	4¼"	3"	85106 (SDR-100-77-W)	85126 (SDR-100-77-I)	85466 (SDR-100-77-B)
SDR reducer 140-100	4"	5¾"	3⅞"	86206 (SDR-140-100-W)	86226 (SDR-140-100-I)	85566 (SDR-140-100-B)
SIF 2" fixed offset 77	7⅞"	3⅜"	3¼"	86018 (SIF-77-W)	86038 (SIF-77-I)	85378 (SIF-77-B)
SIF 2" fixed offset 100	7⅞"	4¼"	4¼"	86118 (SIF-100-W)	86138 (SIF-100-I)	85478 (SIF-100-B)
SN 2.75" Twist ELL 77	5½"	5½"	3⅞"	85080 (SN-77-W)	85085 (SN-77-I)	85395 (SN-77-B)
SF flex ELL 20" L-77-500	19½"	3"	2 ½"	85008 (SF-77-500-W)	85028 (SF-77-500-I)	85368 (SF-77-500-B)
SF flex ELL 31" L-100-800	31½"	4"	2¾"	86108 (SF-100-800-W)	86128 (SF-100-800-I)	85468 (SF-100-800-B)
SF flex ELL 31" L-140-800	31½"	5¼"	3⅞"	85208 (SF-140-800-W)	85228 (SF-140-800-I)	85568 (SF-140-800-B)
SFJ flex adaptor 77	1⅜"	3¼"	3¼"	85009 (SFJ-77-W)	85029 (SFJ-77-I)	85369 (SFJ-77-B)
SFJ flex adaptor 100	1½"	4¼"	4¼"	85109 (SFJ-100-W)	85129 (SFJ-100-I)	85469 (SFJ-100-B)
SFS saddle for flex ELL 77	1⅜"	3¼"	2½"	86001 (SFS-77)	-	-
SFS saddle for flex ELL 100	1½"	3¼"	3"	86101 (SFS-100)	-	-
SFS saddle for flex ELL 140	1½"	4¼"	3"	86201 (SFS-140)	-	-
SL strap kit for line sets	-	-	-	86299 (SL-300)	-	-

(stainless steel)