

## TRUELINE DUAL OVAL CAPACITOR SPECIFICATIONS

PART NUMBER	CAP (1) ( $\mu$ F)	CAP (2) ( $\mu$ F)	VOLTAGE	DIM A (IN)	DIM B (IN)	DIM C (IN)	DIM D (IN)	DIM E (IN)
43-TL25054-V	25	5	440	1.85	2.87	3.35	1.77	2.8
43-TL30054-V	30	5	440	1.85	2.87	3.74	1.77	2.8
43-TL35054-V	35	5	440	1.85	2.87	3.74	1.77	2.8
43-TL40034-V	40	3	440	1.85	2.87	3.94	1.77	2.8
43-TL40054-V	40	5	440	1.85	2.87	3.94	1.77	2.8
43-TL40074-V	40	7.5	440	1.85	2.87	4.53	1.77	2.8
43-TL45034-V	45	3	440	1.85	2.87	4.53	1.77	2.8
43-TL45054-V	45	5	440	1.85	2.87	4.53	1.77	2.8
43-TL55054-V	55	5	440	1.85	2.87	4.53	1.77	2.8



# TrueLine™ Capacitors




TrueLine™ aftermarket capacitors are available in a comprehensive assortment and designed for continuous duty in HVAC applications. Each run capacitor is tested to the highest standards for safe and reliable performance and competitively sourced to bring you high quality at the best possible price.

To ensure optimal performance, install a capacitor with correct specifications for your system.

### FEATURES


- Certified to UL 810 standards
- -40°C to 70°C operating temperature range
- Standard configurations of single round, single oval, double round, and double oval
- Microfarad ratings from 3 $\mu$ F up to 80 $\mu$ F
- 370V and 440V

## TRUELINE SINGLE ROUND CAPACITOR SPECIFICATIONS




PART NUMBER	CAP (1) (μF)	CAP (2) (μF)	VOLTAGE	DIM A (IN)	DIM B (IN)	DIM C (IN)	DIM D (IN)	DIM E (IN)
43-TL05003-R	5	—	370	1.65	1.57	2.17	—	—
43-TL07003-R	7.5	—	370	1.65	1.57	2.17	—	—
43-TL10003-R	10	—	370	1.65	1.57	2.17	—	—
43-TL12003-R	12.5	—	370	1.65	1.57	2.17	—	—
43-TL15003-R	15	—	370	1.85	1.77	2.76	—	—
43-TL20003-R	20	—	370	1.85	1.77	2.76	—	—
43-TL30003-R	30	—	370	1.85	1.77	3.35	—	—
43-TL35003-R	35	—	370	1.85	1.77	3.35	—	—
43-TL40003-R	40	—	370	1.85	1.77	3.35	—	—
43-TL03004-R	3	—	440	1.65	1.57	2.17	—	—
43-TL04004-R	4	—	440	1.65	1.57	2.17	—	—
43-TL05004-R	5	—	440	1.65	1.57	2.17	—	—
43-TL07004-R	7.5	—	440	1.65	1.57	2.17	—	—
43-TL10004-R	10	—	440	1.65	1.57	2.17	—	—
43-TL12004-R	12.5	—	440	1.85	1.77	2.76	—	—
43-TL20004-R	20	—	440	1.85	1.77	3.35	—	—
43-TL25004-R	25	—	440	1.85	1.77	3.35	—	—
43-TL30004-R	30	—	440	1.85	1.77	3.35	—	—
43-TL35004-R	35	—	440	2.05	1.97	3.35	—	—
43-TL40004-R	40	—	440	2.05	1.97	3.94	—	—
43-TL45004-R	45	—	440	2.05	1.97	3.94	—	—
43-TL50004-R	50	—	440	2.05	1.97	4.33	—	—
43-TL55004-R	55	—	440	2.05	1.97	4.33	—	—

## TRUELINE DUAL ROUND CAPACITOR SPECIFICATIONS



PART NUMBER	CAP (1) (μF)	CAP (2) (μF)	VOLTAGE	DIM A (IN)	DIM B (IN)	DIM C (IN)	DIM D (IN)	DIM E (IN)
43-TL25033-R	25	3	370	2.05	1.97	3.35	—	—
43-TL25053-R	25	5	370	2.05	1.97	3.35	—	—
43-TL30033-R	30	3	370	2.05	1.97	3.35	—	—
43-TL30053-R	30	5	370	2.05	1.97	3.35	—	—
43-TL35033-R	35	3	370	2.05	1.97	3.35	—	—
43-TL35053-R	35	5	370	2.05	1.97	3.35	—	—
43-TL40033-R	40	3	370	2.05	1.97	3.35	—	—
43-TL40053-R	40	5	370	2.05	1.97	3.94	—	—
43-TL45033-R	45	3	370	2.05	1.97	3.94	—	—
43-TL45053-R	45	5	370	2.05	1.97	3.94	—	—
43-TL50033-R	50	3	370	2.05	1.97	3.94	—	—
43-TL50053-R	50	5	370	2.05	1.97	3.94	—	—
43-TL50103-R	50	10	370	2.05	1.97	3.94	—	—
43-TL55033-R	55	3	370	2.05	1.97	3.94	—	—
43-TL55053-R	55	5	370	2.05	1.97	3.94	—	—
43-TL55073-R	55	7.5	370	2.05	1.97	4.53	—	—
43-TL55103-R	55	10	370	2.05	1.97	4.53	—	—
43-TL60053-R	60	5	370	2.05	1.97	4.53	—	—
43-TL60033-R	60	3	370	2.05	1.97	4.53	—	—
43-TL60103-R	60	10	370	2.05	1.97	4.53	—	—
43-TL70053-R	70	5	370	2.05	1.97	4.53	—	—
43-TL80053-R	80	5	370	2.05	1.97	5.12	—	—
43-TL80103-R	80	10	370	2.05	1.97	4.53	—	—
43-TL30054-R	30	5	440	2.05	1.97	3.94	—	—
43-TL30074-R	30	7.5	440	2.05	1.97	3.94	—	—
43-TL35034-R	35	3	440	2.05	1.97	3.94	—	—
43-TL35054-R	35	5	440	2.05	1.97	3.94	—	—
43-TL35074-R	35	7.5	440	2.05	1.97	3.94	—	—
43-TL40034-R	40	3	440	2.05	1.97	3.94	—	—
43-TL40054-R	40	5	440	2.05	1.97	3.94	—	—
43-TL40074-R	40	7.5	440	2.05	1.97	4.53	—	—
43-TL40104-R	40	10	440	2.05	1.97	4.53	—	—
43-TL45054-R	45	5	440	2.05	1.97	4.53	—	—
43-TL45104-R	45	10	440	2.05	1.97	4.53	—	—
43-TL45034-R	45	3	440	2.05	1.97	4.53	—	—
43-TL50054-R	50	5	440	2.05	1.97	4.53	—	—
43-TL50074-R	50	7.5	440	2.05	1.97	5.12	—	—
43-TL55054-R	55	5	440	2.05	1.97	5.12	—	—
43-TL55074-R	55	7.5	440	2.05	1.97	5.12	—	—
43-TL60054-R	60	5	440	2.05	1.97	5.12	—	—
43-TL60074-R	60	7.5	440	2.24	2.17	4.53	—	—
43-TL60104-R	60	10	440	2.24	2.17	4.53	—	—
43-TL80074-R	80	7.5	440	2.44	2.36	5.12	—	—

## TRUELINE SINGLE OVAL CAPACITOR SPECIFICATIONS



PART NUMBER	CAP (1) (μF)	CAP (2) (μF)	VOLTAGE	DIM A (IN)	DIM B (IN)	DIM C (IN)	DIM D (IN)	DIM E (IN)
43-TL03003-V	3	—	370	1.3	2.09	2.17	1.22	2.01
43-TL04003-V	4	—	370	1.3	2.09	2.17	1.22	2.01
43-TL05003-V	5	—	370	1.3	2.09	2.17	1.22	2.01
43-TL07003-V	7.5	—	370	1.3	2.09	2.17	1.22	2.01
43-TL10003-V	10	—	370	1.3	2.09	2.17	1.22	2.01
43-TL12003-V	12.5	—	370	1.3	2.09	2.17	1.22	2.01
43-TL15003-V	15	—	370	1.3	2.09	3.15	1.22	2.01
43-TL20003-V	20	—	370	1.3	2.09	3.15	1.22	2.01
43-TL04004-V	4	—	440	1.3	2.09	2.17	1.22	2.01
43-TL05004-V	5	—	440	1.3	2.09	2.17	1.22	2.01
43-TL07004-V	7.5	—	440	1.3	2.09	2.17	1.22	2.01
43-TL10004-V	10	—	440	1.3	2.09	3.15	1.22	2.01
43-TL15004-V	15	—	440	1.3	2.09	3.15	1.22	2.01
43-TL20004-V	20	—	440	1.85	2.87	2.76	1.77	2.8
43-TL25004-V	25	—	440	1.85	2.87	2.76	1.77	2.8
43-TL30004-V	30	—	440	1.85	2.87	2.76	1.77	2.8
43-TL35004-V	35	—	440	1.85	2.87	3.35	1.77	2.8
43-TL40004-V	40	—	440	1.85	2.87	3.35	1.77	2.8
43-TL45004-V	45	—	440	1.85	2.87	3.54	1.77	2.8