

Part No.	Reference No.	Quantity	Description
0000090825~S	*		BLOWER
0000090826~S	*		BURNER & INDUCER
0000090827~S	*		CABINET
0000090828~S	*		CONTROLS
0000090829~S	*		FRONT DOOR PANEL
0000090895~S	*		GENERAL ASSEMBLY GRAPHIC
0000090830~S	*		HEAT EXCHANGER
0000090832~S	*		MODEL NUMBER DESCRIPTION
0000216274~S	*		VENTILATION

Part No.	Reference No.	Quantity	Description
0000052627~P	*		BLOWER PARTS LIST

Part No.	Reference No.	Quantity	Description
BND00917		1	BAND; BELLY BAND ASSEMBLY, INCLUDES BAND, MOTOR LEGS, MOUNTING HARDWARE
SCR01011		3	SCREW; 1/4-20 C HXW 5/8 S N
SCR02624		4	SCREW; 8-18 X 7/8, TYPE AB, HEX CAP
BRK05035	1	2	BRACKET; BLOWER-OFFSET
WIR09218	2	1	WIRE; HARNESS, BLOWER, 12 PIN
SWT04157	3	1	SWITCH-REVERSE FLOW
WHL03718	4	1	WHEEL; BLOWER, 11.95 IN DIA, 11.93 IN WIDTH, 0.50 IN BORE, 54 BLADES, CW
SWT04156	5	1	SWITCH-REVERSE FLOW
MOT19955	6	1	MOTOR; CTM - 1 HP, PROGRAMMED
BND00917	6a	1	BAND; BELLY BAND ASSEMBLY, INCLUDES BAND, MOTOR LEGS, MOUNTING HARDWARE


Part No.	Reference No.	Quantity	Description
0000052947~P	*		BURNER & INDUCER PARTS LIST

BURNER & INDUCER

75013183

RP
A

(Items 8, 9, 11, 14 & 19 are considered as non-replaceable parts)



This is a typical illustration. The unit in the field may not appear exactly as shown.

Part No.	Reference No.	Quantity	Description
CMP01468		1	CLAMP; BURNER-5
MFD01445	6	1	MANIFOLD; 5
VAL09030	7	1	VALVE; GAS, NON DIRECT VENT 2 STAGE, 1/2-14 NPT, 24V, 50/60 HZ, "J" SERIES
HLD00628	8	1	HOLDER; 5 BURNER, 14.875 X 1.531
BOX02754	9	1	BOX; BURNER, 5.74 X 15.33 X 2.63
SWT04163	10	1	SWITCH-FLAME-ROLLOUT
PLT05661	11	1	PLATE; 5 BURNER, 15.33 X 5.61
SEN02662	12	1	SENSOR; FLAME FOR NATURAL GAS AND LP, KANTHAL D
BRK04581	13	1	BRACKET; FLAME SENSOR, 2.063 X 0.875 X 0.456
IGN00152	15	1	MIN=12/12 IGNITER; SILICON-NITRIDE, 120V, INCLUDES BRACKET AND SCREWS
BRK04580	16	1	BRACKET; IGNITER, 2.063 X 0.875 X 0.456
WIR09934	17	1	WIRE; HARNESS-BURN-5-6
SWT04162	18	1	SWITCH-FLAME-ROLLOUT
BNR01233	20	5	BURNER; 0.50 ID INSHOT BURNER, NATURAL GAS, STAINLESS STEEL, 2.75 X 4.50
ORF01427	21	5	ORIFICE; SPUD, DRILL #45, BRASS


Part No.	Reference No.	Quantity	Description
0000047669~P	*		CABINET PARTS LIST

CABINET

75013074

RP
A

(Items 1, 9 & 11 are considered as non-replaceable parts)



This is a typical illustration. The unit in the field may not appear exactly as shown.


Part No.	Reference No.	Quantity	Description
PLU01272		2	PLUG; GAS CONDENSATE, 1.5 INCH, BLACK PLASTIC
PLU01273		3	PLUG; ELECTRICAL, 1.0 INCH, BLACK PLASTIC
SCR00972		4	SCREW, 10-24 TR-3 HXW 3/8 S
PLU01267	2	2	PLUG; GAS CONDENSATE, 2.17 OD, 1.675 ID, BLACK PLASTIC
PLU01268	3	3	PLUG; ELECTRICAL, 1.19 OD, 0.875 ID, BLACK PLASTIC
SUP06397	4	1	SUPPORT; CROSSMEMBER-80-C
VNE01869	5	2	VANE; GUIDE
SUP05943	6	2	SUPPORT; SIDE, 33.74 X 1.07 X 1.07
WIR05160	7	1	WIRE; HARNESS, 2 PIN DF, 5 INCH BLACK WIRE
SUP06473	8	1	SUPPORT; CMEMBER-BOTTOM-80C
PNL32371	9	1	PANEL; BOTTOM, 20.92 X 21.08
BOX02750	10	2	BOX; ASSEMBLY, JUNCTION, INCLUDES TOP, BASE, SCREWS & BUSHING
DOR04686	12	1	DOOR; ASM-80C-MID

Part No.	Reference No.	Quantity	Description
0000052967~P	*		CONTROLS PARTS LIST

CONTROLS

75013069

RP
A



This is a typical illustration. The unit in the field may not appear exactly as shown.

Part No.	Reference No.	Quantity	Description
BUS00300		1	BUSHING; STRAIN RELIEF
GKT05169		2	GASKET; VEST-TOP-BOT-C-80 (2EA)
PNL37122		1	PANEL; VESTIBULE-BOTTOM, C CABINET, 19.59 X 16.75
TRR02737		1	TRANSFORMER; CHOKE LINE, 12 AMPS RMS AC, 600V
TRR02736	1	1	TRANSFORMER; 115V-24V, 35VA, 60 HZ, CLASS 2
WIR09222	2	1	WIRE; HARNESS, POWER & CONTROLS, CHOKE
CNT07802	4	1	CONTROL; IFC-2-CTM (SAME AS CNT07873)
SHD00602	5	1	SHIELD; BRACKET-IFC, SHEET METAL, 5.91 X 9.03
GKT05000	6	2	GASKET; VESTIBULE GASKETS, ONE SIZE FITS ALL - TRIM TO FIT

Part No.	Reference No.	Quantity	Description
0000036610~P	*		DOOR ASSEMBLY PARTS LIST


Part No.	Reference No.	Quantity	Description
DOR04649	*	1	DOOR; ASM-80C-HIGH
PLT05665	*	0	PLATE; AMERICAN STANDARD BADGE, 3.17 X 3.00
PLT05663	1	1	PLATE; DOOR OVERLAY, 28.77 X 7.00
PLT05664	2	0	PLATE; TRANE BADGE, 3.17 X 3.00
GLS01118	3	2	GLASS; SIGHT-GLASS-80
LAT01035	4	4	LATCH; HUB
LAT01036	5	4	LATCH; TANG
LAT01037	6	4	LATCH; CLIP

Part No.	Reference No.	Quantity	Description
0000005413~P	*		GENERAL ASSEMBLY GRAPHIC

S-SERIES FURNACE 80%
2 - STAGE


75013072

RP
A



This is a typical illustration. The unit in the field may not appear exactly as shown.

Part No.	Reference No.	Quantity	Description
0000036612~P	*		HEAT EXCHANGER PARTS LIST



Part No.	Reference No.	Quantity	Description
EXC03223		1	EXCHANGER; C100 HX ASSY
GKT05000		2	GASKET; VESTIBULE GASKETS, ONE SIZE FITS ALL - TRIM TO FIT
GKT05169		2	GASKET; VEST-TOP-BOT-C-80 (2EA)
BOX03708	1	1	BOX; FLUE, INCLUDES TUB08301
TUB08301	2	1	TUBE; PRESSURE SWITCH, STAINLESS STEEL, .025 O.D. .035 WALL THK.

Part No.	Reference No.	Quantity	Description
0000005337~P	*		MODEL NUMBER GRAPHIC

MODEL NUMBER DESCRIPTION		75011116	RB B
S-SERIES FURNACE			
Example Model Number: S 9 V 2 B 0 8 0 U 3 P S A A A 1 - - - - 5 - - - - 10 - - - - 15 Digit 1 – Level S = Series L = 14 ng/J Ultra-Low NOx Digit 2 – AFUE 8 = 80% 9 = 90% or higher Digit 3 – Blower Type B = Builder Series (May be PSC or CTM) P = PSC X = CTM V = Variable Speed Digit 4 – Gas Valve Stages 1 = SingleStage 2 = 2 Stage M = Modulating Digit 5 – Cabinet Width A = 14.5 wide B = 17.5 wide C = 21.0 wide D = 24.5 wide Digits 6,7,8 – BTU input 080 = 80,000 BTUH Digit 9 – Poise Options U = 3 way D = Dedicated Downflow M = 4 Way Poise Digit 10 – Airflow Capacity for Cooling 2 = 2 Tons 3 = 3 Tons 4 = 4 Tons 5 = 5 Tons Digit 11 – Inducer Type P = PSC X = CTM V = Variable Speed Digit 12 – Communicating capability S = 24 Volt C = Communicating System Control T = 24 Volt, 40ng/J NOx D = Communicating System Control, 40ng/J NOx Digit 13 – Major Design Change Digit 14 – Minor Design Change Digit 15 – Service Digit Change			
		1 of 1	

Part No.	Reference No.	Quantity	Description
0000036613~P	*		VENTILATION PARTS LIST

Part No.	Reference No.	Quantity	Description
SWT04564	1	0	SWITCH; PRESSURE-.70
SWT04214	2	0	SWITCH; PRESSURE-.70
BLW01671	3	1	BLOWER; INDUCER-80-2.500-PSC
SWT04217	4	0	SWITCH; PRESSURE-.37
TUB14902	5	1	TUBE; PRESSURE-HIGH-STAGE
TUB14906	6	1	TUBE; PRESSURE-LOW-STAGE