


| Part No.     | Reference No. | Quantity | Description              |
|--------------|---------------|----------|--------------------------|
| 0000098218~S | *             |          | BLOWER                   |
| 0000098219~S | *             |          | BURNER                   |
| 0000098220~S | *             |          | CABINET                  |
| 0000098221~S | *             |          | CONTROLS                 |
| 0000098225~S | *             |          | FRONT DOOR PANEL         |
| 0000098217~S | *             |          | GENERAL ASSEMBLY         |
| 0000098226~S | *             |          | HEAT EXCHANGER           |
| 0000098230~S | *             |          | INDUCER & VENTING        |
| 0000098228~S | *             |          | MODEL NUMBER DESCRIPTION |
| 0000098229~S | *             |          | OPTIONAL ACCESSORIES     |
| 0000098227~S | *             |          | SHIP WITH PARTS          |

| Part No.     | Reference No. | Quantity | Description       |
|--------------|---------------|----------|-------------------|
| 0000032687~P | *             |          | BLOWER PARTS LIST |

BLOWER

75011091

RB  
B



This is a typical illustration. The unit in the field may not appear exactly as shown.


| Part No. | Reference No. | Quantity | Description                                                             |
|----------|---------------|----------|-------------------------------------------------------------------------|
| BND00932 | *             | 1        | BAND; MOTOR MOUNT, 17.62 LENGTH                                         |
| BND00934 | *             | 1        | BAND; BELLY BAND ASSEMBLY, INCLUDES BAND, MOTOR LEGS, MOUNTING HARDWARE |
| MOT20546 | 1             | 1        | MOTOR; EON VS MOTOR - 7 COEFFICIENT 3/4HP                               |
| BLT01015 | 2a            | 1        | BOLT; BELLY BAND, 1/4-20 UNC-2B, 3/8 HEX WASHER HEAD                    |
| BND00917 | 2b            | 6        | BAND; BELLY BAND ASSEMBLY, INCLUDES BAND, MOTOR LEGS, MOUNTING HARDWARE |
| WHL02916 | 3             | 1        | WHEEL; BLOWER, 11 IN DIA, 8 IN WIDTH, 0.50 IN BORE, CW                  |
| HUS04192 | 4             | 1        | HOUSING; BLOWER, MOLDED HALF, RIGHT SIDE, 18.00 X 15.28 X 6.92          |
| WIR08823 | 5             | 1        | WIRE; HARNESS,12-PIN- ECM MOTOR (BLU,WHT,BLK,GRN,YEL WIRES)             |
| CLP01123 | 6             | 4        | CLIP; CLEAT-BLOWER                                                      |
| HUS04193 | 7             | 1        | HOUSING; BLOWER, MOLDED HALF, LEFT SIDE, 18.00 X 15.28 X 6.79           |
| SCR01011 | 9             | 3        | SCREW; 1/4-20 C HXW 5/8 S N                                             |
| BRK04572 | 10            | 2        | BRACKET; BLOWER DECK MOUNT, 3.65 X 2.51 X 1.84                          |
| SWT01649 | 11            | 1        | SWITCH; REVERSE AIRFLOW, OPEN 105F, CLOSE 95F, 120/240V, 1/4QC TERM     |
| SWT03982 | 12            | 1        | SWITCH; REVERSE FLOW, OPEN AT 105F, CLOSE AT 95F                        |
| SCR02112 | 14            | 4        | SCREW; ASSEMBLY-MOTOR MOUNT                                             |

| Part No.     | Reference No. | Quantity | Description       |
|--------------|---------------|----------|-------------------|
| 0000021458~P | *             |          | BURNER PARTS LIST |
| 0000036006~P | *             |          | BURNER PARTS LIST |

BURNER

75011113

RP  
A




This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No. | Reference No. | Quantity | Description                                                                                                                                |
|----------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------|
| BRK04581 | 2             | 1        | BRACKET; FLAME SENSOR, 2.063 X 0.875 X 0.456                                                                                               |
| SEN02662 | 3             | 1        | SENSOR; FLAME FOR NATURAL GAS AND LP, KANTHAL D                                                                                            |
| BOX02753 | 4             | 1        | BOX; BURNER, 5.74 X 12.58 X 2.63                                                                                                           |
| SWT03968 | 5             | 1        | SWITCH; FLAME ROLLOUT, 190F OPEN, 5.8 FLA, 34.8 LRA AT 120 VAC, 24 VAC, MAN RESET 100F, AUTO RESET -31F, FIXED TEMP THERMOSTAT AND NON-ADJ |
| PLT05660 | 6             | 1        | PLATE; 4 BURNER, 12.58 X 5.61                                                                                                              |
| HLD00627 | 7             | 1        | HOLDER; 4 BURNER, 12.125 X 1.531                                                                                                           |
| CMP01467 | 8             | 1        | CLAMP; BURNER - 4                                                                                                                          |
| BNR01233 | 9             | 4        | BURNER; 0.50 ID INSHOT BURNER, NATURAL GAS, STAINLESS STEEL, 2.75 X 4.50                                                                   |
| PIP02095 | 10            | 1        | PIPE; U-BEND, STEEL, 1/2-14 NPT, 3.42 X 2.00                                                                                               |
| VAL09030 | 11            | 1        | VALVE; GAS, NON DIRECT VENT 2 STAGE, 1/2-14 NPT, 24V, 50/60 HZ, "J" SERIES                                                                 |
| MFD01444 | 12            | 1        | MANIFOLD; 4                                                                                                                                |
| ORF01427 | 13            | 4        | ORIFICE; SPUD, DRILL #45, BRASS                                                                                                            |
| WIR08572 | 14            | 1        | WIRE; HARNESS, UPFLOW, FROM CONTROLS HARNESS TO FLAME ROLLOUT SWITCHES AND THERMAL LIMITS, YELLOW WIRES                                    |
| SWT03967 | 15            | 1        | SWITCH; FLAME ROLLOUT, 190F OPEN, 5.8 FLA, 34.8 LRA AT 120 VAC, 24 VAC, MAN RESET 100F, AUTO RESET -31F, FIXED TEMP THERMOSTAT AND NON-ADJ |
| BRK04580 | 16            | 1        | BRACKET; IGNITER, 2.063 X 0.875 X 0.456                                                                                                    |
| IGN00152 | 17            | 1        | MIN=12/12 IGNITER; SILICON-NITRIDE, 120V, INCLUDES BRACKET AND SCREWS                                                                      |

BURNER

75011113

RP  
A



This is a typical illustration. The unit in the field may not appear exactly as shown.


| Part No. | Reference No. | Quantity | Description                                                                                                                                |
|----------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------|
| BRK04581 | 2             | 1        | BRACKET; FLAME SENSOR, 2.063 X 0.875 X 0.456                                                                                               |
| SEN02662 | 3             | 1        | SENSOR; FLAME FOR NATURAL GAS AND LP, KANTHAL D                                                                                            |
| BOX02753 | 4             | 1        | BOX; BURNER, 5.74 X 12.58 X 2.63                                                                                                           |
| SWT03968 | 5             | 1        | SWITCH; FLAME ROLLOUT, 190F OPEN, 5.8 FLA, 34.8 LRA AT 120 VAC, 24 VAC, MAN RESET 100F, AUTO RESET -31F, FIXED TEMP THERMOSTAT AND NON-ADJ |
| PLT05660 | 6             | 1        | PLATE; 4 BURNER, 12.58 X 5.61                                                                                                              |
| HLD00627 | 7             | 1        | HOLDER; 4 BURNER, 12.125 X 1.531                                                                                                           |
| CMP01467 | 8             | 1        | CLAMP; BURNER - 4                                                                                                                          |
| BNR01233 | 9             | 4        | BURNER; 0.50 ID INSHOT BURNER, NATURAL GAS, STAINLESS STEEL, 2.75 X 4.50                                                                   |
| PIP02095 | 10            | 1        | PIPE; U-BEND, STEEL, 1/2-14 NPT, 3.42 X 2.00                                                                                               |
| VAL09030 | 11            | 1        | VALVE; GAS, NON DIRECT VENT 2 STAGE, 1/2-14 NPT, 24V, 50/60 HZ, "J" SERIES                                                                 |
| MFD01444 | 12            | 1        | MANIFOLD; 4                                                                                                                                |
| ORF01427 | 13            | 4        | ORIFICE; SPUD, DRILL #45, BRASS                                                                                                            |
| WIR10828 | 14            | 1        | WIRE; HARNESS-BURN-2-3-4                                                                                                                   |
| SWT03967 | 15            | 1        | SWITCH; FLAME ROLLOUT, 190F OPEN, 5.8 FLA, 34.8 LRA AT 120 VAC, 24 VAC, MAN RESET 100F, AUTO RESET -31F, FIXED TEMP THERMOSTAT AND NON-ADJ |
| BRK04580 | 16            | 1        | BRACKET; IGNITER, 2.063 X 0.875 X 0.456                                                                                                    |
| IGN00152 | 17            | 1        | MIN=12/12 IGNITER; SILICON-NITRIDE, 120V, INCLUDES BRACKET AND SCREWS                                                                      |

| Part No.     | Reference No. | Quantity | Description        |
|--------------|---------------|----------|--------------------|
| 0000008936~P | *             |          | CABINET PARTS LIST |
| 0000035970~P | *             |          | CABINET PARTS LIST |

CABINET


75010934

REV.  
A



This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No. | Reference No. | Quantity | Description                                                                  |
|----------|---------------|----------|------------------------------------------------------------------------------|
| PAI00074 | *             | 1        | PAINT; SPRAY, SLATE GREY, FULL GLOSS(88) (SHIPPING UOM 12 OZ HAZ)            |
| PLU01272 | 1             | 2        | PLUG; GAS CONDENSATE, 1.5 INCH, BLACK PLASTIC                                |
| PLU01269 | 2             | 4        | PLUG; VENTING, 3.40 OD, 2.78 ID, BLACK PLASTIC                               |
| PLU01273 | 3             | 3        | PLUG; ELECTRICAL, 1.0 INCH, BLACK PLASTIC                                    |
| PNL32370 | 4             | 1        | PANEL; BOTTOM, 20.92 X 17.58                                                 |
| SUP05944 | 5             | 1        | SUPPORT; CROSSMEMBER, TOP, 17.58 X 7.17                                      |
| BOX02750 | 6             | 1        | BOX; ASSEMBLY, JUNCTION, INCLUDES TOP, BASE, SCREWS & BUSHING                |
| SUP05943 | 7             | 2        | SUPPORT; SIDE, 33.74 X 1.07 X 1.07                                           |
| BRK04571 | 8a            | 1        | BRACKET; ASSEMBLY. INCLUDES BOTH DOOR SWITCH BRACKETS AND 2 PIN WIRE HARNESS |
| WIR05160 | 8b            | 1        | WIRE; HARNESS, 2 PIN DF, 5 INCH BLACK WIRE                                   |
| SUP05950 | 9             | 1        | SUPPORT; CROSSMEMBER, BOTTOM, 17.58 X 7.17                                   |
| PNL32370 | 10            | 1        | PANEL; BOTTOM, 20.92 X 17.58                                                 |
| RAL01160 | 11            | 2        | RAIL; BLOWER DECK, 10.65 X 1.64                                              |
| RAL01161 | 12            | 2        | RAIL; HEAT EXCHANGER, 19.15 X 3.47                                           |
| RTR00985 | 13            | 1        | RETAINER; BLOWER, 3.00 X 1.85                                                |




| Part No. | Reference No. | Quantity | Description                                                   |
|----------|---------------|----------|---------------------------------------------------------------|
| GLS01089 | *             | 2        | GLASS; ASSEMBLY, INCLUDES SITE-GLASS, GASKET, 8 SCREWS        |
| RAL01160 | *             | 2        | RAIL; BLOWER DECK, 10.65 X 1.64                               |
| WIR05160 | *             | 1        | WIRE; HARNESS, 2 PIN DF, 5 INCH BLACK WIRE                    |
| SCR00972 |               | 4        | SCREW, 10-24 TR-3 HXW 3/8 S                                   |
| SUP05944 | 1             | 1        | SUPPORT; CROSSMEMBER, TOP, 17.58 X 7.17                       |
| BOX02750 | 2             | 2        | BOX; ASSEMBLY, JUNCTION, INCLUDES TOP, BASE, SCREWS & BUSHING |
| PLU01269 | 4             | 4        | PLUG; VENTING, 3.40 OD, 2.78 ID, BLACK PLASTIC                |
| PLU01267 | 5             | 3        | PLUG; GAS CONDENSATE, 2.17 OD, 1.675 ID, BLACK PLASTIC        |
| PLU01272 | 5a            | 3        | PLUG; GAS CONDENSATE, 1.5 INCH, BLACK PLASTIC                 |
| PLU01268 | 6             | 3        | PLUG; ELECTRICAL, 1.19 OD, 0.875 ID, BLACK PLASTIC            |
| PLU01273 | 6a            | 3        | PLUG; ELECTRICAL, 1.0 INCH, BLACK PLASTIC                     |
| SUP05950 | 7             | 1        | SUPPORT; CROSSMEMBER, BOTTOM, 17.58 X 7.17                    |
| RTR00985 | 8             | 1        | RETAINER; BLOWER, 3.00 X 1.85                                 |
| PNL32370 | 9             | 1        | PANEL; BOTTOM, 20.92 X 17.58                                  |
| PNL37176 | 9a            | 1        | PANEL; BOTTOM, 20.92 X 17.58                                  |
| RAL01161 | 10            | 2        | RAIL; HEAT EXCHANGER, 19.15 X 3.47                            |
| SUP05943 | 11            | 2        | SUPPORT; SIDE, 33.74 X 1.07 X 1.07                            |

| Part No.     | Reference No. | Quantity | Description         |
|--------------|---------------|----------|---------------------|
| 0000004604~P | *             |          | CONTROLS PARTS LIST |
| 0000036832~P | *             |          | CONTROLS PARTS LIST |

## CONTROLS


75013688

RP  
A




This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No. | Reference No. | Quantity | Description                                                |
|----------|---------------|----------|------------------------------------------------------------|
| TRR02736 | 1             | 1        | TRANSFORMER; 115V-24V, 35VA, 60 HZ, CLASS 2                |
| TRR02737 | 2             | 1        | TRANSFORMER; CHOKE LINE, 12 AMPS RMS AC, 600V              |
| HUS03379 | 3             | 1        | HOUSING; PLUG CONNECTOR, 4 CIRCUIT                         |
| CON00105 | 4             | 1        | CONNECTOR; HOUSING; 12 CKT SOCKET HSG MALE                 |
| MOD01574 | 5             | 1        | MODULE; TO ORDER-SEE EXT NOTE                              |
| CNT07721 | 6             | 1        | CONTROL; W/ IFC, 2 STAGE FURNACE CONTROL                   |
| WIR09914 | 7             | 1        | WIRE; HARNESS, POWER & CONTROLS                            |
| SHD00602 | 8             | 1        | SHIELD; BRACKET-IFC, SHEET METAL, 5.91 X 9.03              |
| GKT05000 | 9             | 1        | GASKET; VESTIBULE GASKETS, ONE SIZE FITS ALL - TRIM TO FIT |
| BUS00300 | 10            | 1        | BUSHING; STRAIN RELIEF                                     |
| CON00973 | 11            | 1        | CONNECTOR; 3 CKT, CAP HSG, WHITE/NATURAL                   |
| CON00486 | 12            | 1        | CONNECTOR; PLUG HOUSING, 3 PIN MALE                        |




| Part No. | Reference No. | Quantity | Description                                                |
|----------|---------------|----------|------------------------------------------------------------|
| GKT05000 | *             | 2        | GASKET; VESTIBULE GASKETS, ONE SIZE FITS ALL - TRIM TO FIT |
| TIE00023 | *             | 1        | TIE;CABLE, 8.00IN.                                         |
| SHD00602 | 1             | 1        | SHIELD; BRACKET-IFC, SHEET METAL, 5.91 X 9.03              |
| CNT07721 | 2             | 1        | CONTROL; W/ IFC, 2 STAGE FURNACE CONTROL                   |
| TRR02736 | 3             | 1        | TRANSFORMER; 115V-24V, 35VA, 60 HZ, CLASS 2                |
| BUS00300 | 4             | 1        | BUSHING; STRAIN RELIEF                                     |
| WIR09913 | 5             | 1        | WIRE; HARNESS, POWER & CONTROLS                            |
| MOD01574 | 6             | 1        | MODULE; TO ORDER-SEE EXT NOTE                              |

| Part No.     | Reference No. | Quantity | Description                 |
|--------------|---------------|----------|-----------------------------|
| 0000036854~P | *             |          | DOOR ASSEMBLY PARTS LIST    |
| 0000014656~P | *             |          | FRONT DOOR PANEL PARTS LIST |



| Part No. | Reference No. | Quantity | Description                                                                      |
|----------|---------------|----------|----------------------------------------------------------------------------------|
| DOR04642 | *             | 1        | DOOR; ASM-90B-HIGH                                                               |
| PLT05665 | *             | 0        | PLATE; AMERICAN STANDARD BADGE, 3.17 X 3.00                                      |
| GLS01089 | 1             | 2        | GLASS; ASSEMBLY, INCLUDES SITE-GLASS, GASKET, 8 SCREWS                           |
| PLT05663 | 2             | 1        | PLATE; DOOR OVERLAY, 28.77 X 7.00                                                |
| PLT05664 | 3             | 0        | PLATE; TRANE BADGE, 3.17 X 3.00                                                  |
| LAT01036 | 4             | 4        | LATCH; TANG                                                                      |
| LAT01037 | 5             | 4        | LATCH; CLIP                                                                      |
| LAT01035 | 6             | 4        | LATCH; HUB                                                                       |
| GKT04783 | 7             | 2        | GASKET; DOOR GASKETS, TOP/BOTTOM X 2, SIDES X 2, ONE SIZE FITS ALL - TRIM TO FIT |



| Part No. | Reference No. | Quantity | Description                                                                      |
|----------|---------------|----------|----------------------------------------------------------------------------------|
| DOR04642 | *             | 1        | DOOR; ASM-90B-HIGH                                                               |
| PAI00248 | *             | 1        | PAINT; 12 OZ SPRAY, ANTHRACITE GRAY (SHIPPING UOM 12 OZ HAZ)                     |
| LAT01036 | 1             | 4        | LATCH; TANG                                                                      |
| LAT01037 | 2             | 4        | LATCH; CLIP                                                                      |
| LAT01035 | 3             | 4        | LATCH; HUB                                                                       |
| GLS01089 | 4             | 2        | GLASS; ASSEMBLY, INCLUDES SITE-GLASS, GASKET, 8 SCREWS                           |
| PLT05663 | 5             | 1        | PLATE; DOOR OVERLAY, 28.77 X 7.00                                                |
| PLT05664 | 6a            | 1        | PLATE; TRANE BADGE, 3.17 X 3.00                                                  |
| PLT05665 | 6b            | 1        | PLATE; AMERICAN STANDARD BADGE, 3.17 X 3.00                                      |
| SCR02475 | 7             | 8        | SCREW; 8-18, TRUSS DRIVE STYLE, TYPE B BLUNT TIP                                 |
| GKT04783 | 8             | 1        | GASKET; DOOR GASKETS, TOP/BOTTOM X 2, SIDES X 2, ONE SIZE FITS ALL - TRIM TO FIT |


| Part No.     | Reference No. | Quantity | Description              |
|--------------|---------------|----------|--------------------------|
| 0000013797~P | *             |          | GENERAL ASSEMBLY GRAPHIC |

## S-SERIES FURNACE

75011112

REV.  
A

Upflow




This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No.     | Reference No. | Quantity | Description               |
|--------------|---------------|----------|---------------------------|
| 0000021376~P | *             |          | HEAT EXCHANGER PARTS LIST |

## HEAT EXCHANGER

75013667

RP  
A



The Thermal Limit Switch (TCO) is not included with the Heat Exchanger.

This is a typical illustration. The unit in the field may not appear exactly as shown.


| Part No. | Reference No. | Quantity | Description                                                |
|----------|---------------|----------|------------------------------------------------------------|
| EXC02924 | 1             | 1        | EXCHANGER; HX-ASM-B80                                      |
| BRK04574 | 2             | 2        | BRACKET; HX HOT HEADER SUPPORT, 2.50 X 1.00                |
| GKT05000 | 3             | 1        | GASKET; VESTIBULE GASKETS, ONE SIZE FITS ALL - TRIM TO FIT |
| GKT04780 | 4             | 1        | GASKET; BLOWER INDUCER, GREEN SILICONE, 3.70 OD X 2.90 ID  |
| SWT03984 | 5             | 1        | SWITCH; THERMAL, OPEN AT 130F, CLOSE AT 100F               |

| Part No.     | Reference No. | Quantity | Description                  |
|--------------|---------------|----------|------------------------------|
| 0000004614~P | *             |          | INDUCER & VENTING PARTS LIST |

INDUCER & VENTING

75011115

REV.  
A



This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No. | Reference No. | Quantity | Description                                                                                                                                            |
|----------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| HSE01889 | 1             | 1        | HOSE; CONDENSATE, BLACK EPDM, 9.00 L, 0.475 ID                                                                                                         |
| HSE01883 | 2             | 1        | HOSE; PRESSURE SWITCH, BLACK EPDM RUBBER, 0.225 ID X 19.50 L                                                                                           |
| SEP00271 | 3             | 1        | SEPARATOR; ASSEMBLY-UPFLOW, INCLUDES TRAP, ADAPTERS, O-RINGS AND SCREWS                                                                                |
| ADP01426 | 5a            | 1        | ADAPTER; PVC PLASTIC, 0.718 ID, 1.20 ID                                                                                                                |
| RNG02446 | 5b            | 4        | RING; O-RING, 0.55 ID, EPDM RUBBER                                                                                                                     |
| SWT03924 | 6             | 1        | SWITCH; PRESSURE, SPDT, 28VA PILOT DUTY AT 24 VAC, 125VA PILOT DUTY AT 120VAC, SNAP ACTING CONTACTS, OPR TEMP RANGE: -40 TO 190F, 0.20 DEG W.C.        |
| HSE01884 | 7             | 1        | HOSE; HIGH PRESSURE, BLACK EPDM RUBBER, 0.225 ID X 12.00 L                                                                                             |
| BLW01401 | 8             | 1        | BLOWER; INDUCER, 2 STAGE, 115V, 60 HZ, 3300/2345 RPM, 5 MFD CPT AT 370 VAC, INCLUDES GASKET & SCREWS                                                   |
| SCR02472 | 9             | 3        | SCREW; 10-32 MACHINE SCREW, 5/16 SLOTTED HEX WASHER                                                                                                    |
| PLU01271 | 10            | 1        | PLUG; CONDENSATE, 0.77 OD X 0.50 ID                                                                                                                    |
| ELL01524 | 11            | 1        | ELBOW; BLACK, WITH BOOT AND CLAMP                                                                                                                      |
| CAP01301 | 12            | 1        | CAP; PRESSURE, BLACK VINYL, 0.25 ID X 0.625 L                                                                                                          |
| SWT03965 | 13            | 1        | SWITCH; BLOWER INDUCER LIMIT SWITCH, 145F OPEN, 115F CLOSE                                                                                             |
| SWT03971 | 14            | 1        | SWITCH; PRESSURE, SPST, 28VA PILOT DUTY AT 24 VAC, 125VA PILOT DUTY AT 125VAC, SNAP ACTING CONTACTS, OPR TEMP RANGE: -40 TO 190F, 1.00 DEG W.C.        |
| HSE01885 | 15            | 1        | HOSE; PRESSURE, 0.225 ID X 7.0 L, PS1                                                                                                                  |
| SCR02512 | 16            | 2        | SCREW; 4-24 X 1/2, 3/16 HX WASHER HEAD, #1 PHILLIPS, TYPE AB, CLEAR ZINC PLATE                                                                         |
| SWT03926 | 17            | 1        | SWITCH; CONDENSATE, POS PRESSURE, SPST, 28VA PILOT DUTY AT 24 VAC, 125VA PILOT DUTY AT 125VAC, SNAP ACTING CONTACTS, OPERATING TEMP RANGE: -40 TO 185F |
| HSE01886 | 19            | 1        | HOSE; BLOWER INDUCER, CONDENSATE, BLACK EPDM, 15.00 L, 0.475 ID                                                                                        |


| Part No.     | Reference No. | Quantity | Description          |
|--------------|---------------|----------|----------------------|
| 0000005337~P | *             |          | MODEL NUMBER GRAPHIC |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |          |         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------|---------|
| MODEL NUMBER DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | 75011116 | RB<br>B |
| S-SERIES FURNACE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |          |         |
| <div>Example Model Number:<br/>S 9 V 2 B 0 8 0 U 3 P S A A A<br/>1 - - - - 5 - - - - 10 - - - - 15</div> <div><div><div>Digit 1 – Level<br/>S = Series<br/>L = 14 ng/J Ultra-Low NOx</div><div>Digit 2 – AFUE<br/>8 = 80%<br/>9 = 90% or higher</div><div>Digit 3 – Blower Type<br/>B = Builder Series (May be PSC or CTM)<br/>P = PSC<br/>X = CTM<br/>V = Variable Speed</div><div>Digit 4 – Gas Valve Stages<br/>1 = SingleStage<br/>2 = 2 Stage<br/>M = Modulating</div><div>Digit 5 – Cabinet Width<br/>A = 14.5 wide<br/>B = 17.5 wide<br/>C = 21.0 wide<br/>D = 24.5 wide</div><div>Digits 6,7,8 – BTU input<br/>080 = 80,000 BTUH</div><div>Digit 9 – Poise Options<br/>U = 3 way<br/>D = Dedicated Downflow<br/>M = 4 Way Poise</div><div>Digit 10 – Airflow Capacity for Cooling<br/>2 = 2 Tons<br/>3 = 3 Tons<br/>4 = 4 Tons<br/>5 = 5 Tons</div></div><div><div>Digit 11 – Inducer Type<br/>P = PSC<br/>X = CTM<br/>V = Variable Speed</div><div>Digit 12 – Communicating capability<br/>S = 24 Volt<br/>C = Communicating System Control<br/>T = 24 Volt, 40ng/J NOx<br/>D = Communicating System Control, 40ng/J NOx</div><div>Digit 13 – Major Design Change</div><div>Digit 14 – Minor Design Change</div><div>Digit 15 – Service Digit Change</div></div></div> |  |          |         |
| 1 of 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |          |         |

| Part No.     | Reference No. | Quantity | Description               |
|--------------|---------------|----------|---------------------------|
| 0000014516~P | *             |          | OPTIONAL ACCESSORIES LIST |

| Part No.       | Reference No. | Quantity | Description                                                                                     |
|----------------|---------------|----------|-------------------------------------------------------------------------------------------------|
| BAYAIR30AVENTA | *             | 1        | VENT; CONCENTRIC VENT KIT, (BAYAIR30AVENTAA)                                                    |
| BAYAIR30CNVENT | *             | 1        | KIT-CONCENTRIC-VENT-CANADA                                                                      |
| BAYCNDTRAP2A   | *             | 1        | KIT-2" WATER COLLECTOR                                                                          |
| BAYCNDTRAP3A   | *             | 1        | KIT-3" WATER COLLECTOR                                                                          |
| BAYHANG        | *             | 1        | HORIZONTAL HANGER KIT                                                                           |
| BAYLIFTB       | *             | 1        | KIT-DUAL-RETURN-B-SIZE                                                                          |
| BAYLPSS400B    | *             | 1        | BAYLPSS400B; LP CONVERSION KIT, INCLUDES (6) STAINLESS BURNERS, SEN02662, KIT01495 & KIT07611   |
| BAYMFGH200B    | *             | 1        | KIT; LP CONVERSION KIT W/ (6) STAINLESS STEEL BURNERS                                           |
| BAYREDUCE      | *             | 1        | KIT-REDUCER-COUPPLING-CPVC                                                                      |
| BAYVENT200B    | *             | 1        | KIT; SIDE WALL VENT ASSEMBLY                                                                    |
| BAYVENTCN200B  | *             | 1        | KIT-VENT-SIDE-WALL-CANADA                                                                       |
| KIT07611       | *             | 1        | KIT; 3/6G VALVE PRESSURE CHECK KIT W/ HOSE BARB ADAPTER, ALLEN WRENCH AND PIECE OF 5/16" TUBING |

| Part No.     | Reference No. | Quantity | Description          |
|--------------|---------------|----------|----------------------|
| 0000008947~P | *             |          | SHIP WITH PARTS LIST |



| Part No. | Reference No. | Quantity | Description                                                   |
|----------|---------------|----------|---------------------------------------------------------------|
| TUB13975 | 1             | 1        | TUBE; CONDENSATE DRAIN, INCLUDES CLAMPS, ADAPTER AND COUPLING |
| GRM01059 | 3             | 2        | GROMMET; CONDENSATE GAS, BLACK 0.99 ID X 2.0 OD               |
| KIT17675 | 4             | 1        | KIT; 2 INCH INLET ADAPTOR (ADP01052) AND GASKET (GKT03082)    |
| PLU01272 | 5             | 1        | PLUG; GAS CONDENSATE, 1.5 INCH, BLACK PLASTIC                 |
| PLU01273 | 6             | 1        | PLUG; ELECTRICAL, 1.0 INCH, BLACK PLASTIC                     |
| GRM01083 | 7             | 1        | GROMMET; TRAP, 3.50 OD X 2.00 ID, BLACK, FLEXIBLE VINYL       |
| KIT17674 | 8             | 1        | KIT; OUTLET ADAPTOR WITH CLAMP AND GASKET                     |