

Ox BoxTM

»» Lavatory Outlet Box



Fast

Installs quickly with supply lines from above or below.

Standardized

One product for consistent and repeatable looks and layout.

Fixed Cost

Easy ordering, costing and billing.

Strong

Compact ABS material. Bracket included.


Recessed

Valves are protected from job site abuse.



Installation Comparison

Traditional Installation




Materials

Two Stub Outs	\$ _____
Two Supply Stop Valves	\$ _____
Escutcheons	\$ _____
Bracketing Solution	\$ _____

Note: Time estimates assume all tools & materials are readily available.



Lav Box Installation



Materials

Sioux Chief Lav Box \$ _____

Installation time savings

Features & Benefits



Simple

One product, one frame. Easy sourcing, planning, costing and bidding.



Fast

Eliminates multiple touches. Eliminates the system drain-down, recharging and leak detection steps.



Savings

Material savings and labor savings transition variable costs into a known and reduced fixed cost.



Consistent

Standardized finish and valve layout every time. Every installation will look the same.



Strong

The box acts as the bracket. Added support bar protects the box during the drywall installation.



Quality

High quality valves and materials including highly durable ABS. Brass alloy is no lead, dezincification-resistant and stress-corrosion cracking-resistant.



Aesthetically Pleasing

High quality finish with beveled and contoured frame that can be painted or wall papered.



Liability vs. Warranty

Reduced chance for leak. Typical joints that are made during the finish phase are replaced by a warranted product.



OxBox System

All OxBox products have one frame size.



Maintenance

Valve seats can be replaced if fouled by debris.



Made in USA

The OxBox is made in the USA from top quality materials, including no lead valves.



Rough-In Install

Boxes eliminate valve installation at finish, reducing the chance for leak.

Installation Options




Installs on or between studs



Installs with supply from above or below

“The consistent and repeatable installations and look of the OxBox Lav Box was enticing. Its comparative time and material cost savings over traditional installations just makes sense.”

Tim Fortin
John W Danforth Co
Tonawanda, NY



Options & Product Variations

Arrester Product or Standard

- All boxes available in arrester options



No Lead Inlet Connections

- All common connection styles available
- No lead valves are additionally dezincification-resistant and stress-corrosion cracking-resistant



Rough-In Pack or Standard Pack

- All product is either offered with frame as standard pack or without frame as rough-in pack
- Rough-in packs ship separate from frames, keeping frames clean and secure until the job's end



696-G2001WR

696-G2001WF

Fire-Rated or Regular

- Fire-rated OxBox products are certified by Intertek/Warnock Hersey to the following:

ASTM E-814

2 hours (F), 1½ hours (T)
for 2-hour design
1 hour (F), 31 min (T)
for 1-hour design
UL 1479

ASTM E-119

2 hours (F), 1½ hours (T)
for 2-hour design
1 hour (F), 31 min (T)
for 1-hour design
CAN/ULC S115



Accessories

Frame & Frame Inserts

- The single frame is the same size for all OxBox access boxes
- Notched frame insert conceals the valves and inhibits tampering of valves, leaving hose access
- Frame and frame inserts can be painted or wall-papered to match room decor



Frame Extensions

- Add 1/2" of additional depth per extension
- Frame extensions can be stacked
- Perfect for attaching frame past the gap between the wall and cabinet back



Caps

- Protect valves from undesired operation
- Brass caps with gasket for testing and valve operation protection



Debris Cover

- Provided to protect OxBox from drywall dust and debris



Box Clip

- Use to strengthen an installation or connect multiple boxes
- Tab folds into metal stud cavity for added rigidity



Sliding Support Bracket

- Used to affix box between studs
- Provides protection from drywall installers
- Adjustable length from 9" to 18"



Application Variations & Layout Options

Kitchen Sink

- Couple Lav box with a single 3/8" compression or 3/4" hose water service box for all supply needs



Side x Side Lav

- Perfect for residential or commercial applications
- Compact box size allows for multiple boxes & drainage in one stud bay



The OxBox System



OxBox
Washing
Machine



OxBox ONE™
Washing Machine



OxBox
Icemaker



OxBox
Toilet &
Dishwasher



OxBox
Gas



OxBox
AAV Box



OxBox 3/4" Hose
Water Service



696-G2001MR



696-G2011MF



696-G2001MF

» Buying Information

ITEM NO.	DESCRIPTION	U/M	PKG.	MIN. QTY.	CASE QTY.	LIST PRICE
OXBOX LAV BOX – STANDARD PACK, NO LEAD						
696-G2001MF	1/2" Female Sweat	EA	BI	10	10	\$43.33 EA
696-G2001CF	1/2" Male CPVC	EA	BI	10	10	\$43.93 EA
696-G2001WF	1/2" ASTM F1960 PEX Grip	EA	BI	10	10	\$46.83 EA
696-G2001XF	1/2" ASTM F1807 PEX Crimp	EA	BI	10	10	\$44.43 EA
696-G2001AF	1/2" ASTM F2080 PEX Lock	EA	BI	10	10	\$54.83 EA
OXBOX LAV BOX – ROUGH-IN PACK (1), NO LEAD						
696-G2001MR	1/2" Female Sweat	EA	BI	10	10	\$41.33 EA
696-G2001CR	1/2" Male CPVC	EA	BI	10	10	\$41.93 EA
696-G2001WR	1/2" ASTM F1960 PEX Grip	EA	BI	10	10	\$44.83 EA
696-G2001XR	1/2" ASTM F1807 PEX Crimp	EA	BI	10	10	\$42.43 EA
OXBOX LAV BOX – STANDARD PACK, NO LEAD W/ MINIRESTER ARRESTERS						
696-G2011MF	1/2" Female Sweat	EA	BI	10	10	\$70.33 EA
696-G2011CF	1/2" Male CPVC	EA	BI	10	10	\$70.93 EA
696-G2011WF	1/2" ASTM F1960 PEX Grip	EA	BI	10	10	\$73.83 EA
696-G2011XF	1/2" ASTM F1807 PEX Crimp	EA	BI	10	10	\$71.43 EA
OXBOX LAV BOX –FIRE RATED STANDARD PACK, NO LEAD						
696RG2001MF	1/2" Female Sweat	EA	BI	10	10	\$87.55 EA
696RG2001CF	1/2" Male CPVC	EA	BI	10	10	\$88.15 EA
696RG2001WF	1/2" ASTM F1960 PEX Grip	EA	BI	10	10	\$91.05 EA
696RG2001XF	1/2" ASTM F1807 PEX Crimp	EA	BI	10	10	\$88.65 EA
ACCESSORIES						
696-SC1	Solid Frame Insert W/ Valve Cutout	EA	B	10	10	\$5.50 EA
696-BC	Box Clip	EA	B	10	10	\$2.50 EA
696-C1	3/8" O.D. Compression Cap (2 Per Bag)	EA	B	10	10	\$1.60 BG
696-EX	Frame Extension	EA	B	10	10	\$3.25 EA
696-1F	OxBox Single Frame	EA	B	10	10	\$2.00 EA
520-09	Sliding Support Bracket	EA	B	250	250	\$1.70 EA

PACKAGING:**B** = Bulk**I** = Individually Bar-Coded

24110 South Peculiar Drive

Peculiar, Missouri 64078

P 1.800.821.3944**F** 1.800.758.5950**» Build A Box: 696ABCD**

A		B		C		D	
-G	No Lead	2001	Double 3/8" Supply Box Valve	M	1/2" Female Sweat	F	Standard Pack (W/ Frame)
RG	No Lead Fire Rated	2011	Double 3/8" Supply Box Valve W/ MiniRester Water Hammer Arrester	C	1/2" Male CPVC	R	Rough-In Pack (Frame Sold Separately)
				W	1/2" ASTM F1960		
				X	1/2" ASTM F1807		
				A	1/2" ASTM F2080		

