

PRODUCT-DETAILS

10RC-6

INS VINL RING TERM 12-10 No6 YELLOW



General Information

Extended Product Type	10RC-6
Product ID	7TAI029460R0009
EAN	5414363136309
Catalog Description	INS VINL RING TERM 12-10 No6 YELLOW
Long Description	Vinyl-Insulated Ring Terminal, Length 1.06 Inches, Width .31 Inches, Maximum Insulation .210, Bolt Hole #6, Wire Range #12-#10 AWG, Color Yellow, Copper, Tin Plated

Ordering

EAN	5414363136309
-----	---------------

Dimensions

Product Net Weight	.005 lb 2.268 g
--------------------	--------------------

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	1.3 in 33 mm
Package Level 1 Height	3.3 in 84 mm

Package Level 1 Depth / Length	2.4 in 61 mm
Package Level 2 Units	250 piece
Package Level 2 Width	9.4 in 239 mm
Package Level 2 Height	8.8 in 224 mm
Package Level 2 Depth / Length	15.1 in 384 mm
Package Level 3 Units	2500 piece
Package Level 3 Width	7.3 in 185 mm
Package Level 3 Height	8.89 in 226 mm
Package Level 3 Depth / Length	10.5 in 267 mm

Additional Information

Brand / Label	Sta-Kon
Color	Yellow
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Vinyl Insulated Ring Terminal
Special Functions	These terminals are self-insulated with a PVC insulation sleeve of extra length to give protection and relieve bending stress at wires flex point. Braze seam barrel is serrated to obtain high pull-out value.
Standards	UL E9809
UPC	786210800363
Voltage Rating	600 V
Wire Size	12-10 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	10RC-6
Instructions and Manuals	10RC-6

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

