

PRODUCT-DETAILS

14RB-10X

EXP INSUL VNYL RNG TRM, 18-14, No10



General Information

Extended Product Type	14RB-10X
Product ID	7TAI029460R0017
EAN	5414363137917
Catalog Description	EXP INSUL VNYL RNG TRM, 18-14, No10
Long Description	Expanded Vinyl-Insulated Ring Terminal, Length .97 Inches, Width .31 Inches, Maximum Insulation .200, Bolt Hole #10, Wire Range #18-#14 AWG, Color Blue, Copper, Tin Plated

Ordering

EAN	5414363137917
-----	---------------

Dimensions

Product Net Weight	.003 lb 1.361 g
--------------------	--------------------

Container Information

Package Level 1 Units	100 piece
Package Level 2 Units	500 piece
Package Level 2 Width	9 in 229 mm
Package Level 2 Height	7.3 in

	185 mm
Package Level 2 Depth / Length	10.6 in 269 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	7.1 in 180 mm
Package Level 3 Height	8.6 in 218 mm
Package Level 3 Depth / Length	10.6 in 269 mm

Additional Information

Brand / Label	Sta-Kon
Color	Blue
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Vinyl Insulated Ring Terminal
Special Functions	Catalog numbers ending with the suffix X indicate an expanded insulation grip. This means a wider wire entry to accommodate heavy wall insulation. Ring terminals Won't fall free even if the mounting screw loosens.
Standards	UL E9809
UPC	786210800721
Voltage Rating	600 V
Wire Size	18-14 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	14RB-10X
Instructions and Manuals	14RB-10X

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

