

PRODUCT-DETAILS

14RB-14X

EXP INSUL VNYL RNG TERM, 18-14, 1/4



General Information

Extended Product Type	14RB-14X
Product ID	7TAI029470R0012
EAN	5414363137948
Catalog Description	EXP INSUL VNYL RNG TERM, 18-14, 1/4
Long Description	Expanded Vinyl-Insulated Ring Terminal, Length 1.14 Inches, Width .50 Inches, Maximum Insulation .200, Bolt Hole 1/4 Inch, Wire Range #18-#14 AWG, Color Blue, Copper, Tin Plated

Ordering

EAN	5414363137948
-----	---------------

Dimensions

Product Net Weight	.004 lb 1.814 g
--------------------	--------------------

Container Information

Package Level 1 Units	100 piece
Package Level 2 Units	500 piece
Package Level 2 Width	10.1 in 257 mm

Package Level 2 Height	8.2 in 208 mm
Package Level 2 Depth / Length	12.1 in 307 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	8 in 203 mm
Package Level 3 Height	10.4 in 264 mm
Package Level 3 Depth / Length	12.1 in 307 mm

Additional Information

Brand / Label	Sta-Kon
Color	Blue
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Vinyl Insulated Ring Terminal
Special Functions	Catalog numbers ending with the suffix X indicate an expanded insulation grip. This means a wider wire entry to accommodate heavy wall insulation. Ring terminals Won't fall free even if the mounting screw loosens.
Standards	UL E9809
UPC	786210800745
Voltage Rating	600 V
Wire Size	18-14 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	14RB-14X
Instructions and Manuals	14RB-14X

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

