

PRODUCT-DETAILS

14RB-250F

INS VINYL FEM-250 DISC No16-14 BLUE



General Information

Extended Product Type	14RB-250F
Product ID	7TAI029690R0002
EAN	5414363131694
Catalog Description	INS VINYL FEM-250 DISC No16-14 BLUE
Long Description	Vinyl-Insulated Female Disconnect, Length 0.96 Inch, Width 0.29 Inch, Max Insulation 0.17, Tab Size 0.25x.032, Wire Range #16-14 AWG, Color Blue, Copper, Tin Plated

Ordering

EAN	5414363131694
-----	---------------

Dimensions

Product Net Weight	.004 lb 1.814 g
--------------------	--------------------

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.25 in 32 mm
Package Level 1 Height	2.5 in 64 mm

Package Level 1 Depth / Length	3.5 in 89 mm
Package Level 2 Units	500 piece
Package Level 2 Width	9.4 in 239 mm
Package Level 2 Height	8.9 in 226 mm
Package Level 2 Depth / Length	15 in 381 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	9.875 in 251 mm
Package Level 3 Height	12 in 305 mm
Package Level 3 Depth / Length	7.5 in 191 mm

Additional Information

Brand / Label	Sta-Kon
Color	Blue
Insulation Material	Vinyl
Material	Brass
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Vinyl Insulated Female Disconnect
Special Functions	Unique construction of the female disconnect offers long-term dependability. Brazed seam serrated barrel provides maximum tensile strength.
Standards	UL E66716
Surface Finishing	Tin Plated
UPC	786210800776

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	14RB-250F
Instructions and Manuals	14RB-250F

Classifications

ETIM 6	EC000516 - Round or flat plug/receptacle
ETIM 7	EC000516 - Round or flat plug/receptacle
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

