

PRODUCT-DETAILS

A18-8F

NON-INS FORK TERM 22-16 No8



General Information

Extended Product Type	A18-8F
Product ID	7TAI029590R0009
EAN	5414363935346
Catalog Description	NON-INS FORK TERM 22-16 No8
Long Description	Non-Insulated Fork Terminal, Length 0.75 Inches, Width 0.31 Inches, Bolt Hole #8, Wire Range #22-16 AWG, Copper, Tin Plated, 100 Pieces

Ordering

EAN	5414363935346
-----	---------------

Dimensions

Product Net Weight	.001 lb .454 g
--------------------	-------------------

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.63 in 41 mm
Package Level 1 Height	3.5 in 89 mm

Package Level 1 Depth / Length	2.63 in 67 mm
Package Level 2 Units	500 piece
Package Level 2 Width	9.5 in 241 mm
Package Level 2 Height	8.8 in 224 mm
Package Level 2 Depth / Length	15.2 in 386 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	6.9 in 175 mm
Package Level 3 Height	5.4 in 137 mm
Package Level 3 Depth / Length	8.39 in 213 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Non-Insulated Fork Terminal
Special Functions	These non-insulated fork terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
UPC	786210803012
Voltage Rating	600 V
Wire Size	22-16 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	A18-8F
Instructions and Manuals	A18-8F

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

