

PRODUCT-DETAILS

B14-250F

NON-INS FEM-250 DISC, 16-14 LEN .87



General Information

Extended Product Type	B14-250F
Product ID	7TAI029710R0021
EAN	5414363935193
Catalog Description	NON-INS FEM-250 DISC, 16-14 LEN .87
Long Description	Non-Insulated Female Disconnect Grip, Length .87 Inches, Width .31 Inches, Tab Size .250x.032, Wire Range #16-#14 AWG, Copper, Tin Plated

Ordering

EAN	5414363935193
-----	---------------

Dimensions

Product Net Weight	.003 lb 1.361 g
--------------------	--------------------

Container Information

Package Level 1 Units	100 piece
Package Level 2 Units	500 piece
Package Level 2 Width	9 in 229 mm
Package Level 2 Height	7.25 in

	184 mm
Package Level 2 Depth / Length	10.25 in 260 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	7.1 in 180 mm
Package Level 3 Height	8.89 in 226 mm
Package Level 3 Depth / Length	10.5 in 267 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Insulation Material	None
Material	Brass
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Female Disconnect
Special Functions	Unique construction of the female disconnect offers long-term dependability. Brazed seam serrated barrel provides maximum tensile strength.
Standards	UL E66716
Surface Finishing	Tin Plated
UPC	786210803364

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	B14-250F
Instructions and Manuals	B14-250F

Classifications

ETIM 6	EC000516 - Round or flat plug/receptacle
ETIM 7	EC000516 - Round or flat plug/receptacle
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

