

PRODUCT-DETAILS

B14-8F

NON-INS FORK TERM 18-14 No8



General Information

Extended Product Type	B14-8F
Product ID	7TAI029580R0014
EAN	5414363077244
Catalog Description	NON-INS FORK TERM 18-14 No8
Long Description	Non-Insulated Fork Terminal, Length .75 Inches, Width .31 Inches, Bolt Hole #8, Wire Range #18-#14 AWG, Copper, Tin Plated

Ordering

EAN	5414363077244
-----	---------------

Dimensions

Product Net Weight	.01 lb 4.535 g
--------------------	-------------------

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.63 in 41 mm
Package Level 1 Height	3.5 in 89 mm

Package Level 1 Depth / Length	2.63 in 67 mm
Package Level 2 Units	500 piece
Package Level 2 Width	9.3 in 236 mm
Package Level 2 Height	8.7 in 221 mm
Package Level 2 Depth / Length	15 in 381 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	10.5 in 267 mm
Package Level 3 Height	9 in 229 mm
Package Level 3 Depth / Length	6.2 in 157 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Non-Insulated Fork Terminal
Special Functions	These non-insulated fork terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
UPC	786210803210
Voltage Rating	600 V
Wire Size	18-14 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	B14-8F
Instructions and Manuals	B14-8F

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

