

PRODUCT-DETAILS

B250

NON-INS FEM .250x.032 DISC No16-14



General Information

Extended Product Type	B250
Product ID	7TAI029740R0001
EAN	5414363148524
Catalog Description	NON-INS FEM .250x.032 DISC No16-14
Long Description	Non-Insulated Female Disconnect, Length .73 Inches, Width .31 Inches, Tab Size .250x.032, Wire Range #16-#14 AWG, Copper, Tin Plated, 1,000 Pack

Ordering

EAN	5414363148524
-----	---------------

Dimensions

Product Net Weight	.003 lb 1.361 g
--------------------	--------------------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4.6 in 117 mm
Package Level 1 Height	3.1 in 79 mm

Package Level 1 Depth / Length	6.1 in 155 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	10 in 254 mm
Package Level 2 Height	7 in 178 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Insulation Material	None
Material	Brass
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Female Disconnect
Special Functions	Unique construction of the female disconnect offers long-term dependability. Brazed seam serrated barrel provides maximum tensile strength.
Standards	UL E66716
Surface Finishing	Tin Plated
UPC	786210809915

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	B250
Instructions and Manuals	B250

Classifications

ETIM 6	EC000516 - Round or flat plug/receptacle
ETIM 7	EC000516 - Round or flat plug/receptacle
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

