

PRODUCT-DETAILS

# B85

## NON-INS RING TRM 18-14 No6 METAL



### General Information

Extended Product Type	B85
Product ID	7TAI029620R0028
EAN	5414363148579
Catalog Description	NON-INS RING TRM 18-14 No6 METAL
Long Description	Non-Insulated Ring Terminal, Length .75 Inches, Width .31 Inches, Bolt Hole #6, Wire Range #18-#14 AWG, Copper, Tin Plated, 1,000 Pack

### Ordering

EAN	5414363148579
-----	---------------

### Dimensions

Product Net Weight	.002 lb .907 g
--------------------	-------------------

### Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	3 in 76 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	3.5 in 89 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	6.8 in 173 mm
Package Level 2 Height	4.1 in 104 mm
Package Level 2 Depth / Length	16.3 in 414 mm

---

### Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Non-Insulated Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
UPC	786210809076
Voltage Rating	600 V
Wire Size	18-14 AWG

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	B85
Instructions and Manuals	B85

---

### Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

