

PRODUCT-DETAILS

# BC14-38

## NON-INS RING TERM, HD 16-14, 3/8, M



### General Information

Extended Product Type	BC14-38
Product ID	7TAI029590R0025
EAN	5414363935025
Catalog Description	NON-INS RING TERM, HD 16-14, 3/8, M
Long Description	Non-Insulated Heavy Duty Ring Terminal, Length 1.09 Inches, Width .63 Inches, Bolt Hole 3/8 Inch, Wire Range #16-#14 AWG Heavy Duty, Copper, Tin Plated

### Ordering

EAN	5414363935025
-----	---------------

### Dimensions

Product Net Weight	.008 lb 3.628 g
--------------------	--------------------

### Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	1.1 in 28 mm
Package Level 1 Height	2.9 in 74 mm

Package Level 1 Depth / Length	2.09 in 53 mm
Package Level 2 Units	250 piece
Package Level 2 Width	8.75 in 222 mm
Package Level 2 Height	7 in 178 mm
Package Level 2 Depth / Length	10.5 in 267 mm
Package Level 3 Units	2500 piece
Package Level 3 Width	8.5 in 216 mm
Package Level 3 Height	6.6 in 168 mm
Package Level 3 Depth / Length	10.3 in 262 mm

### Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Heavy-Duty Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
UPC	786210816562
Voltage Rating	600 V
Wire Size	16-14 AWG

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	BC14-38
Instructions and Manuals	BC14-38

### Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

