

PRODUCT-DETAILS

C10-250A

NON-INS FEM-250 FLAG DISC, 12-10 LE



General Information

Extended Product Type	C10-250A
Product ID	7TAI029700R0013
EAN	5414363148883
Catalog Description	NON-INS FEM-250 FLAG DISC, 12-10 LE
Long Description	Non-Insulated 90 Degree Flag Female Disconnect, Length .64 Inches, Width .63 Inches, Tab Size .250x.032, Wire Range #12-#10 AWG, Copper, Tin Plated

Ordering

EAN	5414363148883
-----	---------------

Dimensions

Product Net Weight	.004 lb 1.814 g
--------------------	--------------------

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	1.3 in 33 mm
Package Level 1 Height	3.5 in 89 mm

Package Level 1 Depth / Length	2.5 in 64 mm
Package Level 2 Units	250 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	8.1 in 206 mm
Package Level 2 Depth / Length	12.5 in 318 mm
Package Level 3 Units	2500 piece
Package Level 3 Width	8.2 in 208 mm
Package Level 3 Height	10.2 in 259 mm
Package Level 3 Depth / Length	12.2 in 310 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Insulation Material	None
Material	Brass
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated 90 Degree Flag Female Disconnect
Special Functions	Unique construction of the female disconnect offers long-term dependability. Brazed seam serrated barrel provides maximum tensile strength.
Standards	UL E66716
Surface Finishing	Tin Plated
UPC	786210872452

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	C10-250A
Instructions and Manuals	C10-250A

Classifications

ETIM 6	EC000516 - Round or flat plug/receptacle
ETIM 7	EC000516 - Round or flat plug/receptacle
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

