

PRODUCT-DETAILS

# C10-38

## NON-INS RING TERM 12-10 3/8 META



### General Information

Extended Product Type	C10-38
Product ID	7TAI029580R0017
EAN	5414363148906
Catalog Description	NON-INS RING TERM 12-10 3/8 META
Long Description	Non-Insulated Ring Terminal, Length 1.10 Inches, Width .59 Inches, Bolt Hole 3/8 Inch, Wire Range #12-#10 AWG, Copper, Tin Plated

### Ordering

EAN	5414363148906
-----	---------------

### Dimensions

Product Net Weight	.006 lb 2.721 g
--------------------	--------------------

### Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	1.63 in 41 mm
Package Level 1 Height	3.5 in 89 mm

Package Level 1 Depth / Length	2.63 in 67 mm
Package Level 2 Units	250 piece
Package Level 2 Width	7 in 178 mm
Package Level 2 Height	9.1 in 231 mm
Package Level 2 Depth / Length	10.4 in 264 mm
Package Level 3 Units	2500 piece
Package Level 3 Width	7.2 in 183 mm
Package Level 3 Height	9.2 in 234 mm
Package Level 3 Depth / Length	10.6 in 269 mm

### Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
UPC	786210803517
Voltage Rating	600 V
Wire Size	12-10 AWG

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	C10-38
Instructions and Manuals	C10-38

### Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

