

PRODUCT-DETAILS

# D8-10

## NONINS BS RNG TERM No8 AWG No10 BLT



### General Information

Extended Product Type	D8-10
Product ID	7TAI029580R0022
EAN	5414363077275
Catalog Description	NONINS BS RNG TERM No8 AWG No10 BLT
Long Description	Non-Insulated Large Brazed Seam Ring Terminal, Length 1.09 Inches, Width .42 Inches, Bolt Hole #10, Wire Range #8 AWG, Copper, Tin Plated

### Ordering

EAN	5414363077275
-----	---------------

### Dimensions

Product Net Weight	.015 lb 6.803 g
--------------------	--------------------

### Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	1.1 in 28 mm
Package Level 1 Height	2.9 in 74 mm

Package Level 1 Depth / Length	2.09 in 53 mm
Package Level 2 Units	125 piece
Package Level 2 Width	9.4 in 239 mm
Package Level 2 Height	8.8 in 224 mm
Package Level 2 Depth / Length	15 in 381 mm
Package Level 3 Units	1250 piece
Package Level 3 Width	8.5 in 216 mm
Package Level 3 Height	6.6 in 168 mm
Package Level 3 Depth / Length	10.3 in 262 mm

### Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
UPC	786210803531
Voltage Rating	600 V
Wire Size	8 AWG

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	D8-10
Instructions and Manuals	D8-10

### Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

