

PRODUCT-DETAILS

NW14-10

NON-INS HITEMP RING TERM 16-14 No10



General Information

Extended Product Type	NW14-10
Product ID	7TAI029660R0012
EAN	5414363156093
Catalog Description	NON-INS HITEMP RING TERM 16-14 No10
Long Description	Non-Insulated High-Temperature Ring Terminal, Length .66 Inches, Width .31 Inches, Bolt Hole #10, Wire Range #16-#14 AWG, 1200 Degree Fahrenheit Maximum, Nickel Alloy, Plain Finish

Ordering

EAN	5414363156093
-----	---------------

Dimensions

Product Net Weight	.003 lb
	1.361 g

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.63 in
	41 mm
Package Level 1 Height	3.5 in

	89 mm
Package Level 1 Depth / Length	2.63 in 67 mm
Package Level 2 Units	500 piece
Package Level 2 Width	9.5 in 241 mm
Package Level 2 Height	8.8 in 224 mm
Package Level 2 Depth / Length	14.7 in 373 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	6.1 in 155 mm
Package Level 3 Height	7.3 in 185 mm
Package Level 3 Depth / Length	8.7 in 221 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Material	Nickel Alloy
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Ring Terminal
Special Functions	For easily installed, permanent terminations of solid, round, or stranded nichrome wires as used in toasters, heaters, etc.
UPC	786210769806
Voltage Rating	600 V
Wire Size	16-14 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	NW14-10
Instructions and Manuals	NW14-10

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

